

MOTORHOMES

Prices & Technical Data

September 2024

Prices may vary depending on your delivery date.



UK 09/2024

NOTICE ON THE AVAILABILITY OF INDIVIDUAL COMPONENTS.

We reserve the right to adjust vehicle equipment and options in the event of material shortages in consultation with your trading partner.



BÜRSTNER

#wohnfühlen



QUALITY...

Choosing the right motorhome requires extensive information. Bürstner is not only characterised by good quality, well thought-out technology, and attractive design, but also offers many other advantages...

QUALITY IN SECURITY

Bürstner takes this issue very seriously and equips all motorhomes – if technically possible in the living area – with 3-point seatbelts. You can also expect ABS (anti-lock braking system) as standard. In all models driver airbag comes as standard.

THOUGHTFUL FLOOR PLANS

Bürstner designs floor plans according to the needs of the users. If you want to travel with your friends or family, you will particularly appreciate our countless storage options, our dedication to the flexible and functional details and, above all, the homely atmosphere synonymous with Bürstner.

EXCEPTIONALLY GOOD PRICE-PERFORMANCE RATIO

What Bürstner already offers as standard – supplemented by the extremely attractive equipment packages – is second to none. Many of our customers use the opportunity to equip their vehicle with these packages (depending on the model) and thus secure their perfect motorhome.

WARRANTY*

Bürstner stands for #wohnfühlen – even after the purchase. That is why we offer you an all-round carefree package. In addition, you will receive both 2-years manufacturers guarantee as well as a 10-year guarantee against water ingress. Please note all guarantee conditions, which include prescribed and paid care and maintenance intervals. Your Bürstner dealer is available to answer your questions and will be happy to carry out the work for you. *According to guarantee conditions

MOTORHOMES

Contents


Important information for choosing your motorhome	4
Campeo TD	6
Lyseo Time "SkyLine"	24
Lyseo TD	34
Lyseo Gallery TD	54
Lyseo I	66
Elegance.....	82

IMPORTANT INFORMATION REGARDING THE SELECTION OF YOUR MOTORHOME

When buying a motorhome, camper van or urban vehicle (hereafter: motorhome), it is particularly important to choose the right layout and an appealing design. In addition, weight also plays an essential role. Family, friends, optional equipment, accessories and baggage – space must be available for all of these. At the same time, there are legal and technical limits to the configuration and load. Every motorhome is designed for a certain weight, which may not be exceeded during driving. For motorhome buyers, this raises the question: How should I configure my vehicle to accommodate passengers, baggage and accessories according to my needs without the vehicle exceeding this maximum weight? In order to make this decision easier for you, we provide you below with a few tips that are particularly important when selecting your vehicle from our portfolio:

1. The technically permissible maximum laden mass...

... is a value set by the manufacturer which the vehicle may not exceed. Bürstner specifies a layout-related upper limit for the vehicle, which can vary from layout to layout (e.g. 3,500 kg, 4,400 kg). You can find the corresponding specification for each layout in the technical data.



Models	T 660	T 690 G	T 726 G	T 727 G
Overall length (app. cm)	695	698	742	742
Overall width (app. cm)	232	232	232	232
Overall height (app. cm)	295	295	295	295
Overall height Internal (app. cm)	212	212	212	212
Technically permissible maximum laden mass (kg)*	3500	3500	3500	3500
Mass in running order(kg)*	3015 (2864 - 3166)*	2994 (2844 - 3144)*	3102 (2947 - 3257)*	3126 (2970 - 3282)*

2. The mass in running order...

... consists – to put it simply – of the basic vehicle with standard equipment plus a standard weight of 75 kg for the driver. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value stated in the sales documents. The permissible tolerance is $\pm 5\%$. The permissible range in kilograms is given in brackets after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, Bürstner weighs each vehicle at the end of the line and informs your trade partner of your vehicle's weighing result for forwarding to you.

Detailed explanations on the subject of mass in running order can be found in the “Legal Information” section.

3. The permitted number of seats (including driver)...

... is determined by the manufacturer in what is referred to as the type-approval procedure. This results in what is referred to as the mass of the passengers. For this, a standard weight of 75 kg per passenger (without driver) is calculated.

Detailed explanations on the subject of mass of the passengers can be found in the “Legal Information” section.

Models	T 660	T 690 G	T 726 G	T 727 G
Overall length (app. cm)	695	698	742	742
Overall width (app. cm)	232	232	232	232
Overall height (app. cm)	295	295	295	295
Overall height Internal (app. cm)	212	212	212	212
Technically permissible maximum laden mass (kg)*	3500	3500	3500	3500
Mass in running order(kg)*	3015 (2864 - 3166)*	2994 (2844 - 3144)*	3102 (2947 - 3257)*	3126 (2970 - 3282)*
Manufacturer-specified mass for optional equipment*	126	150	34	10
Technically permissible maximum towable mass (ca. kg)	2000	2000	2000	2000
Wheelbase, approx. mm	3800	3800	4035	4035
Permitted number of seats (including driver)*	4 - 5 ○	4	4 - 5 ○	4

4. The manufacturer-specified mass for optional equipment...

... is a value set by Bürstner per layout for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum pay-mass due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle.

Detailed explanations on the subject of the effects of the tolerances on the minimum pay-mass and the payload can be found in the “Legal Information” section.

Description	T 660	T 690 G	T 726 G	T 727 G	Additional weight* (kg)
Exterior Body					
Bicycle Rack for 3 Bikes (max. load 60 kg)	○	○	○	○	15
Living area roof light 40 x 40 cm	○	○	○	○	4
Roll out awning in anthracite - 4.0 m inc. LED-lights	○	○	○	—	30
Roof light in kitchen area for ventilation	○	○	○	○	4
Roof light with fan in washroom	○	○	○	○	4
Telescopic bicycle rack for 3 bikes (max. load 50 kg)	○	○	○	○	21

Description	Additional weight* (kg)
Fiat - Drive Easy Package	+3 kg*
Fog lights with cornering light	
Tyre pressure sensor for Fiat chassis	
Battery isolating switch for cab battery	

5. The additional weight of optional equipment and packages...

... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the pay-mass. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the manufacturer-specified mass for optional equipment.

Campeo TD



- Standard equipment
- Optional equipment
- Not possible
- △ Not known at the time of publication

Models	TD 590	TD 660	TD 676 G
Fiat Ducato Multijet 3 - 2.2l - 140 hp - Euro 6E - manual gearbox (light duty)	n.c.	n.c.	81,090.-
Overall length (app. cm)	599	695	671
Overall width (app. cm)	230	230	230
Overall height (app. cm)	n.c.	n.c.	n.c.
Overall height Internal (app. cm)	205	205	205
Technically permissible maximum laden mass (kg)*	3500	3500	3500
Mass in running order (kg) (+/-5%)*	△	△	2950 (2803 to 3098)*
Manufacturer-specified mass for optional equipment (kg)*	△	△	203
Wheelbase, approx. mm	3800	4035	4035
Permitted number of seats (including driver)*	4	4 - 5 ○	4 - 6 ○
Sleeping berths standard / max.	2 - 4 ○	2 - 5 ○	4 - 7 ○
Bed size centre (app. cm)	210x156-110 ○	210x130-84 ○	195x103 ○
Fold down bed (app. cm)	200x140	200x140-118 ○	200x140
Bed size rear (app. cm)		200x135-85	218x80-85
Refrigerator volume incl. freezer, approx. l	131,5 (15)	131,5 (15)	131,5 (15)
Fresh water supply, approx. l	120	120	120
Water supply, approx. l (whilst driving)	20	20	20
Waste water tank, approx. l	90	90	90
Insulation floor / side walls / roof, mm	40 / 34 / 34	40 / 34 / 34	40 / 34 / 34
Storage space for gas cylinders (filling weight in kg)	1x 11kg	1x 11kg	1x 5kg
Fiat Chassis			
ABS (Anti Lock Braking System)	●	●	●
All-season tyres	●	●	●



*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.



TD 690 G	TD 691 G	TD 736
79,690.-	79,690.-	82,890.-
699	699	738
230	230	230
n.c.	n.c.	n.c.
205	205	205
3500	3500	3500
2940 (2793 to 3087)*	△	3005 (2855 to 3155)*
210	△	139
4035	4035	4035
4 - 5 ○	4 - 5 ○	4
2 - 5 ○	2 - 5 ○	2 - 5 ○
210 x 114 - 84 ○	210 x 114 - 84 ○	210 x 130 - 90 ○
200 x 140 - 118 ○	200 x 140 - 118 ○	200 x 140 ○
199 - 190 x 80	199 - 190 x 80	191 x 152
131,5 (15)	83 (10,5)	131,5 (15)
120	120	120
20	20	20
90	90	90
40 / 34 / 34	40 / 34 / 34	40 / 34 / 34
1x 11kg	1x 11kg	1x 11kg
•	•	•
•	•	•

 *INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Campeo TD



- Standard equipment
- Optional equipment
- Not possible
- △ Not known at the time of publication

Models	TD 590	TD 660	TD 676 G
Alloy Wheels 16" Bi-Color	●	●	●
Black frame headlights	●	●	●
Colour-coded front bumper	●	●	●
Cruise control	●	●	●
Daytime running lights	●	●	●
Diesel connection for auxiliary heating	●	●	●
ESP incl. Traction Control, Hill Holder and Traction Plus	●	●	●
Fiat Ducato Low Level chassis	●	●	●
Fix and Go Kit (Instead of Spare Wheel)	●	●	●
Front Fog Lights	●	●	●
Fuel tank 60 ltr.	●	●	●
Heavy Duty Alternator (220 Ah)	●	●	●
Reinforced battery (105 Ah)	●	●	●
Start and stop function	●	●	●
Wheel / Tyre size 15 inches	●	●	●
Wide mirrors	●	●	●
Wider rear axle	●	●	●
Fiat Cab			
Adjustable passenger and drivers seats	●	●	●
Cab blinds	●	●	●
Cup Holder for driver and passenger	●	●	●
Dashboard refinement Techno	●	●	●
Driver and passenger airbag	●	●	●
Driver seat and front passenger seat upholstered to match the living area	●	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Campeo TD



- Standard equipment
- Optional equipment
- Not possible
- △ Not known at the time of publication

Models	TD 590	TD 660	TD 676 G
Heated and electrically adjustable mirrors	●	●	●
Height adjustable driver seat	●	●	●
Height adjustable passenger seat	●	●	●
Leather steering wheel and gear knob	●	●	●
Manual cab air conditioning with pollen filter	●	●	●
USB charging socket in the cab	●	●	●
Exterior Body			
Aluminium framed windows	●	●	●
Electric Door Step	●	●	●
Electrical inset step	●	●	●
Exterior Garage Door, left	—	—	●
Exterior Garage Door, right	—	●	●
GRP Roof	●	●	●
GRP underbody	●	●	●
Garage payload increase to 250 kg	●	●	●
Habitation door large with window and central locking	●	●	●
Manual entry step	●	●	●
Roof light 50 x 70 cm	●	●	●
Service Hatch	●	—	—
Sun-Roof	●	●	●
Third Brake Light	●	●	●
White Paintwork	●	●	●
Habitation			
2 bunk beds	—	—	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Campeo TD



- Standard equipment
- Optional equipment
- Not possible
- △ Not known at the time of publication

Models	TD 590	TD 660	TD 676 G
3rd and 4th belt-secured seat in the seating group	●	●	●
Carpet to Cab & Living Area	●	●	●
Clothes hooks	●	●	●
Couch-to-Couch seating group incl. single-column table base, tabletop can be moved in all directions	●	—	—
Entry aid (handle) in the entrance	●	●	●
Fixed Bed with Multi-zone comfort foam mattresses	●	●	●
Folding table top	●	—	—
Furniture Avana Slate	●	●	●
Hanging table with removable extension	—	—	●
Lashing eyes with rail in rear garage / rear storage	—	—	●
Mea upholstery	●	●	●
Slatted frame with disc springs for fixed beds	—	—	—
Suspension table with rigid table base ¹⁾	—	●	—
Thermofloor	●	●	●
Underfloor storage	●	●	●
Vario Roller Blinds	●	●	●
Kitchen			
Combination kitchen with glass cover (2-flame gas cooker / sink)	●	●	●
Combination oven (oven, grill, hob combined)	●	●	●
Compressor fridge, 131,5 L (including 15 L freezer compartment)	●	●	●
Compressor fridge, 83,5 L (including 10,5 L freezer compartment)	—	—	—
Illuminated wall panel	●	●	●
Multifunction rail	●	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Campeo TD



- Standard equipment
- Optional equipment
- Not possible
- △ Not known at the time of publication

Models	TD 590	TD 660	TD 676 G
Water System			
Cassette Toilet	●	●	●
Electrical			
230 V Socket in rear garage	—	—	●
Charging booster	●	●	●
Double USB socket (USB A + C)	●	●	●
LED awning light with switch in the entrance area ²⁾	●	●	●
LED reading lights	●	●	●
Leisure battery AGM 95 Ah	●	●	●
My Bürstner App Control and monitor, anytime, anywhere, key components and functions of your vehicle.	●	●	●
Power sockets 12 V / 230 V	●	●	●
SCU Basic Display	●	●	●
SCU air conditioning control unit	●	●	●
SCU control unit Solar panel	●	●	●
SCU heating control unit	●	●	●
SCU refrigerator control unit	●	●	●
SCU sensor for body battery	●	●	●
Sensor Waterlevel - Water tank indicator	●	●	●
USB-Sockets	●	●	●
Gas System			
Digital control panel CP plus	●	●	●
Heater Combi D 6 E	●	●	●
Audio - Media			
Flatscreen holder	●	●	●



*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Campeo TD



- Standard equipment
- Optional equipment
- Not possible
- △ Not known at the time of publication

Models	TD 590	TD 660	TD 676 G
Multimedia system AVH-Z5100 DAB inc. rear camera	●	●	●
Radio preparation including DAB + antenna in the exterior mirror	●	●	●
Packages			
Comfort Package 1	—	—	—
Comfort Package 2	●	●	●
Equipment Line "Flex"	●	●	●
Light Package	●	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.



TD 690 G	TD 691 G	TD 736
•	•	•
•	•	•
•	•	•
—	—	—
•	•	•
•	•	•

 *INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Equipment lines Campeo TD

	Flex
Reinforced battery (105 Ah)	●
Heavy Duty Alternator (220 Ah)	●
USB-Sockets	●
All-season tyres	●
Wide mirrors	●
Fuel tank 60 ltr.	●
ESP incl. Traction Control, Hill Holder and Traction Plus	●
Colour-coded front bumper	●
Front Fog Lights	●
Manual cab air conditioning with pollen filter	●
White Paintwork	●
Radio preparation including DAB + antenna in the exterior mirror	●
Black frame headlights	●
Daytime running lights	●
Cruise control	●
Wider rear axle	●
Heated and electrically adjustable mirrors	●
Leather steering wheel and gear knob	●
Dashboard refinement Techno	●
Tyre pressure sensor for Fiat chassis	●
Alloy Wheels 16" Bi-Color	●
Multimedia system AVH-Z5100 DAB inc. rear camera	●
Navigation for media center including reversing camera	○
Fuel tank, 90 ltr.	○
Safety Package	○
Excess weight Equipment line (kg)*	19
Special price	Standard

Packs Campeo TD

Packages

Attractive Package	+11 kg*
"Attractive" graphics	
Spoiler protection tube	
"Attractive" embroidery	
Door sills	
Bridge Light	
Special price	1,770.-

Winter Package	+6 kg*
Heated drivers seat	
Heated passenger seat	
Heated waste water tank and pipes	
Heater Combi D 6 E	
Special price	1,650.-

Comfort Package 1	+43 kg*
Cab blinds	
Exterior Garage Door, left	
Sun-Roof	
Habitation door large with window and central locking	
Aluminium framed windows	
Roof light 50 x 70 cm	
Electric Door Step	
Light Package	
SCU Basic Display	
Special price	3,540.-

Comfort Package 2	+35 kg*
Cab blinds	
Sun-Roof	
Habitation door large with window and central locking	
Aluminium framed windows	
Roof light 50 x 70 cm	
Electric Door Step	
Light Package	
SCU Basic Display	
Special price	3,100.-

Connect Package with 21.5" Smart TV	+8 kg*
21.5" Oyster Smart TV	
WiFi Connect Module	
Flatscreen holder	
Special price	1,770.-

Ambience Package 1	+16 kg*
Scatter Cushions x 4	
Fitted sheets for fixed beds	
Special price	580.-

Ambience Package 2	+16 kg*
Scatter Cushions x 4	
Fitted sheets for all bed types	
Special price	580.-

Multimedia Package 65 cm	+25 kg*
SAT-System Telesat HD autom.65 cm	
Flatscreen 22" (incl. DVB-T, DVB-S Receiver, DVD)	
Solar Panels 1 x 100 Watt	
Special price	2,520.-



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the

manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Multimedia Package TWIN 65cm	+27 kg*
SAT-System Telesat TWIN HD autom. 65 cm	
Flatscreen 22" (incl. DVB-T, DVB-S Receiver, DVD)	
Solar Panels 1 x 100 Watt	
Flatscreen holder, additional in the rear incl. Preparation for 2nd TV	
Special price	2,880.-

Fiat Chassis Packages

Safety Package	△
Emergency brake assistant (pedestrian and cyclist detection)	
Lane departure warning	
Rain and Light Sensors	
Traffic sign recognition	
Automatic low beams	
Fatigue Detection	
Intelligent speed assistant	
Special price	1,080.-

These offers are valid only in conjunction with the purchase of the listed vehicles.

Please find more details concerning weight under "Important references"

△ Not known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the

manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Accessories Campeo TD

● Standard equipment ○ Optional equipment □ Optional extra available in a package — Not possible △ Not known at the time of publication

Description	Price £ a)	TD 590	TD 660	TD 676 G	TD 690 G	TD 691 G	TD 736	Additional weight*
Fiat Engine								
Fiat Ducato Multijet 3 - 2.2l - 140 hp - Euro 6E - automatic gearbox (light duty)	3,270.-	○	○	○	○	○	○	60
Fiat Ducato Multijet 3 - 2.2l - 180 hp - Euro 6E - automatic gearbox (light duty)	7,300.-	○	○	○	○	○	○	20
Weight Increases								
Weight upgrade to 3,650 kg on Fiat chassis	380.-	○	○	○	○	○	○	0
Weight upgrade to 4,400 kg on Fiat chassis (180 BHP) ³⁾	1,950.-	—	○	○	○	○	○	40
Fiat Chassis								
Fuel tank, 90 ltr. ⁴⁾	110.-	○	○	○	○	○	○	25
Paintwork Expedition Grey	520.-	○	○	○	○	○	○	0
Preparation Trailer Coupling Fiat	230.-	○	○	○	○	○	○	△
Exterior Body								
Bicycle Rack for 3 Bikes (max. load 60 kg) ⁵⁾	430.-	○	○	○	○	○	○	15
Original parts & accessories: Camping furniture set ⁵⁾	402.-	○	○	○	○	○	○	21
Original parts & accessories: Sunprotection windshield ⁵⁾	126.-	○	○	○	○	○	○	1
Original parts & accessories: Winter insulation mat windshield ⁵⁾	344.-	○	○	○	○	○	○	3
Rear Corner Steadies	390.-	○	○	○	○	○	○	7
Roll out awning in anthracite - 3.0 m inc. LED-lights	1,100.-	○	—	—	—	—	—	24
Roll out awning in anthracite - 3.5 m inc. LED-lights	1,200.-	—	—	○	—	—	—	27
Roll out awning in anthracite - 4.0 m inc. LED-lights	1,380.-	—	○	—	○	○	○	29
Roof light with fan in kitchen	190.-	○	○	○	○	○	○	4
Roof light with fan in washroom	190.-	○	○	—	○	○	○	4
Telescopic bicycle rack for 3 bikes (max. load 50 kg)	760.-	○	○	○	○	○	○	21
Trailer Coupling	1,620.-	—	○	○	—	—	○	45
Trailer Coupling	1,620.-	—	—	—	○	○	—	40
Trailer Coupling	1,620.-	○	—	—	—	—	—	50
Habitation								
3rd bunk bed ⁷⁾	430.-	—	—	○	—	—	—	30
Dinette transformable to berth	450.-	○	○	○	○	○	○	10



*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Description	Price £ a)	TD 590	TD 660	TD 676 G	TD 690 G	TD 691 G	TD 736	Additional weight*
Faro upholstery		o	o	o	o	o	o	0
Fitted Sheets for the bunk beds	70.-	-	-	o	-	-	-	1
Fitted sheets for fixed beds	70.-	o	□	o	□	□	□	1
Fitted sheets for the folding down bed	70.-	o	o	o	o	o	o	1
Infill cushion for single beds	430.-	-	-	-	o	o	-	2
Isofix Child Seat Fastening	340.-	-	o	o	o	o	-	6
Java upholstery	610.-	o	o	o	o	o	o	0
L shaped seating	600.-	-	o	-	o	o	-	5
Manual fold-down bed above the seating group	1,940.-	●	o	●	o	o	o	45
Original parts & accessories: Mattress topper double bed ⁵⁾	288.-	o	o	o	o	o	o	Δ
Original parts & accessories: Mattress topper single bed ⁵⁾	173.-	o	o	o	o	o	o	Δ
Pasio upholstery		o	o	o	o	o	o	0
Queens bed - electrically height adjustable	1,330.-	-	-	-	-	-	o	21
Secco upholstery	610.-	o	o	o	o	o	o	0
Vario-Seat	710.-	-	o	-	o	o	-	14
Kitchen								
Original parts & accessories: Coffe capsule holder for kitchen rail ⁵⁾	23.-	-	-	-	-	o	-	0
Original parts & accessories: Cutting board for the kitchen rail ⁵⁾	46.-	-	-	-	-	o	-	1
Original parts & accessories: Hook for the kitchen rail ⁵⁾	6.-	-	-	-	-	o	-	0
Original parts & accessories: Kitchen counter for kitchen rail ⁵⁾	35.-	-	-	-	-	o	-	1
Water System								
Outside Shower with Mixer Tap	230.-	o	o	o	o	o	o	3
Electrical								
Additional lithium battery 100 Ah ⁸⁾	1,140.-	o	o	o	o	o	o	13
E-Tower (charging station) in garage	n.c.	o	o	o	o	o	o	Δ
Exterior Power Socket 230 V / 12 V / TV	120.-	o	o	o	o	o	o	1
Facility for climate, SAT, solar	130.-	o	o	o	o	o	o	4
Lithium battery 100 Ah ⁸⁾	1,140.-	o	o	o	o	o	o	-15
Second Leisure Battery 95 Ah	430.-	o	o	o	o	o	o	27
Solar Panels 1 x 100 Watt	700.-	□	□	□	□	□	□	12



*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Description	Price £ a)	TD 590	TD 660	TD 676 G	TD 690 G	TD 691 G	TD 736	Additional weight*
Gas System								
Exterior Gas Point	270.-	o	o	o	o	o	o	1
Remote indication for Security Gas Pressure Regulator Toptron (CPU)	70.-	o	o	o	o	o	o	1
Roof Air Conditioning 2460 W	2,560.-	o	o	o	o	o	o	37
Audio - Media								
Flatscreen 22" (incl. DVB-T, DVB-S Receiver, DVD) ¹⁰⁾	570.-	□	□	□	□	□	□	4
Flatscreen holder, additional in the rear incl. Preparation for 2nd TV	310.-	–	□	–	□	□	□	2
Navigation for media center including reversing camera ⁴⁾	740.-	o	o	o	o	o	o	5
SAT-System Telesat HD autom.65 cm ⁹⁾	2,210.-	□	□	□	□	□	□	15
SAT-System Telesat TWIN HD autom. 65 cm ⁹⁾	2,380.-	–	□	–	□	□	□	16
WiFi Connect Module ^{9) 11)}	1,100.-	□	□	□	□	□	□	3
Fiat Chassis Packages								
Safety Package	1,080.-	o	o	o	o	o	o	Δ
Packages								
Ambience Package 1 ¹³⁾	580.-	–	o	–	o	o	o	16
Ambience Package 2 ¹³⁾	580.-	o	o	o	o	o	o	16
Attractive Package	1,770.-	o	o	o	o	o	o	11
Connect Package with 21.5" Smart TV ¹²⁾	1,770.-	o	o	o	o	o	o	8
Multimedia Package 65 cm	2,520.-	o	o	o	o	o	o	25
Multimedia Package TWIN 65cm	2,880.-	–	o	–	o	o	o	27
Winter Package	1,650.-	o	o	o	o	o	o	6



*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo Time "SkyLine"



● Standard equipment ○ Optional equipment — Not possible ▲ Not known at the time of publication

Models	690 G
Fiat Ducato Multijet 3 - 2.2l - 140 hp - Euro 6E - manual gearbox (light duty)	81,690.-
Overall length (app. cm)	698
Overall width (app. cm)	232
Overall height (app. cm)	295
Overall height Internal (app. cm)	212
Technically permissible maximum laden mass (kg)*	3500
Mass in running order (kg) (+/-5%)*	2969 (2821 to 3117)*
Manufacturer-specified mass for optional equipment (kg)*	181
Technically permissible maximum towable mass (ca. kg)	2000
Total weight gross vehicle (approx. kg)	5500
Wheelbase, approx. mm	3800
Permitted number of seats (including driver)*	4
Sleeping berths standard / max.	2 - 4 ○
Bed size centre (app. cm)	170-105x52 ○
Fold down bed (app. cm)	200-96x77 ○
Bed size rear (app. cm)	203-197x80-80
Refrigerator volume incl. freezer, approx. l	131,5 (15)
Fresh water supply, approx. l	101
Water supply, approx. l (whilst driving)	20
Waste water tank, approx. l	90
Insulation floor / side walls / roof, mm	49 / 34 / 34
Storage space for gas cylinders (filling weight in kg)	2x 11kg

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo Time "SkyLine"



● Standard equipment ○ Optional equipment — Not possible △ Not known at the time of publication

Models	690 G
Fiat Chassis	
ABS (Anti Lock Braking System)	●
All-season tyres	●
Alloy Wheels 16" Bi-Color	●
Black frame headlights	●
Colour-coded front bumper	●
Cruise control	●
Daytime running lights	●
ESP incl. Traction Control, Hill Holder and Traction Plus	●
Fiat Ducato Low Level chassis	●
Fix and Go Kit (Instead of Spare Wheel)	●
Front Fog Lights	●
Fuel tank 60 ltr.	●
Heavy Duty Alternator (220 Ah)	●
Post-collision brake assistant	●
Reinforced battery (105 Ah)	●
Start and stop function	●
Tyre pressure sensor for Fiat chassis	●
Wide mirrors	●
Wider rear axle	●
Fiat Cab	
Adjustable passenger and drivers seats	●
Cab blinds	●
Cup Holder for driver and passenger	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo Time "SkyLine"



● Standard equipment ○ Optional equipment — Not possible △ Not known at the time of publication

Models	690 G
Dashboard refinement Techno	●
Driver and passenger airbag	●
Driver seat and front passenger seat upholstered to match the living area	●
Heated and electrically adjustable mirrors	●
Height adjustable driver seat	●
Height adjustable passenger seat	●
Leather steering wheel and gear knob	●
Manual cab air conditioning with pollen filter	●
USB charging socket in the cab	●
Exterior Body	
"SkyLine" design	●
Aluminium framed windows	●
Electrical inset step	●
Exterior Garage Door, left	●
Exterior Garage Door, right	●
GRP underbody	●
Habitation door - Premium XL (central locking, windows, mosquito net and charging station for the Home-Light battery light)	●
Manual entry step	●
Paintwork Lanzarote Grey (Cab)	●
Roll out awning in anthracite - 4.0 m inc. LED-lights	●
Roof light 50 x 70 cm ¹⁴⁾	●
Roof light in Bathroom	●
Roof light in kitchen	●
Sleeping area roof light 40 x 40 cm	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo Time "SkyLine"



● Standard equipment ○ Optional equipment — Not possible △ Not known at the time of publication

Models	690 G
Sun-Roof	●
Third Brake Light incl. reversing camera	●
Habitation	
"SkyLine" Scatter Cushions	●
"SkyLine" interior design	●
"SkyLine" upholstery with embroidery	●
3rd and 4th belt-secured seat in the seating group	●
Beds with Bed Slats	●
Canopy with integrated light strip	●
Carpet to Cab & Living Area	●
Clothes hooks	●
Fixed Bed with Multi-zone comfort foam mattresses	●
Furniture Brava One	●
Illuminated entry aid (handle) in the entrance area	●
Infill cushion for single beds	●
L shaped seating	●
Lashing eyes with rail in rear garage / rear storage	●
Vario Roller Blinds	●
Kitchen	
Coffee capsule holder	●
Combination oven (oven, grill, hob combined)	●
Compressor fridge, 131.5 L (including 15 L freezer compartment)	●
Gas hob with electric ignition	●
Illuminated wall panel	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo Time "SkyLine"



● Standard equipment ○ Optional equipment — Not possible △ Not known at the time of publication

Models	690 G
Removable kitchen shelf	●
Water System	
Cassette Toilet	●
Electrical	
230 V Socket in rear garage	●
Awning rail	●
Charging booster	●
Exterior Power Socket 230 V / 12 V / TV	●
Facility for climate, SAT, solar	●
Illuminated mirror in the bathroom	●
Indirect feature LED lighting to worktops	●
Indirect kitchen lighting	●
Indirect lighting from drop-down bed (only fold-down bed version)	●
Indirect lighting on rear lockers	●
LED awning light with switch in the entrance area ²⁾	●
LED lighting in cabinet	●
LED reading lights	●
Leisure battery AGM 95 Ah	●
Light in Wardrobe	●
Power sockets 12 V / 230 V	●
Roof cabinets with indirect lighting	●
USB-Sockets	●
Gas System	
Digital control panel CP plus	●
Gas Heater Combi 6 E	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo Time "SkyLine"



● Standard equipment ○ Optional equipment — Not possible △ Not known at the time of publication

Models	690 G
Gas compartment for 2x 11 kg	●
Audio - Media	
Flatscreen holder	●
Multimedia system AVH-Z5100 DAB inc. rear camera	●
Radio preparation including DAB + antenna in the exterior mirror	●
Packages	
Equipment Line "Flex"	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Equipment lines Lyseo Time "SkyLine"

	Flex	Premium
Reinforced battery (105 Ah)	●	●
Heavy Duty Alternator (220 Ah)	●	●
USB-Sockets	●	●
Post-collision brake assistant	●	—
All-season tyres	●	●
Wide mirrors	●	●
Fuel tank 60 ltr.	●	●
ESP incl. Traction Control, Hill Holder and Traction Plus	●	●
Colour-coded front bumper	●	●
Front Fog Lights	●	●
Manual cab air conditioning with pollen filter	●	●
Radio preparation including DAB + antenna in the exterior mirror	●	●
Black frame headlights	●	●
Daytime running lights	●	●
Cruise control	●	●
Wider rear axle	●	●
Heated and electrically adjustable mirrors	●	●
Leather steering wheel and gear knob	●	●
Dashboard refinement Techno	●	●
Tyre pressure sensor for Fiat chassis	●	●
Alloy Wheels 16" Bi-Color	●	●
Multimedia system AVH-Z5100 DAB inc. rear camera	●	—
Navigation for media center including reversing camera	○	—
Fuel tank, 90 ltr.	○	○
Safety Package	○	○
Uconnect radio with 10-inch screen and navigation, reversing camera, preparation for electronically adjustable air conditioning, induction charging station & digital instrument panel	—	●
Full-LED headlights with black headlight surround	—	●
Electronic parking brake	—	●
Excess weight Equipment line (kg)*	△	△
Special price	Standard	3,020.-

Packs Lyseo Time "SkyLine"

Packages

Connect Package with 21.5" Smart TV	+8 kg*
21.5" Oyster Smart TV	
WiFi Connect Module	
Flatscreen holder	
Special price	1,770.-

Winter Package	+13 kg*
Heated and insulated Wastewater Tank and Discharge	
Heated drivers seat	
Heated passenger seat	
Gas Heater Combi 6 E	
Electric Underfloor Heating	
Special price	1,810.-

Ambience Package 1	+16 kg*
Scatter Cushions x 4	
Fitted sheets for fixed beds	
Special price	580.-

Ambience Package 2	+16 kg*
Scatter Cushions x 4	
Fitted sheets for all bed types	
Special price	580.-

Fiat Chassis Packages

Safety Package	△
Emergency brake assistant (pedestrian and cyclist detection)	
Lane departure warning	
Rain and Light Sensors	
Traffic sign recognition	
Automatic low beams	
Fatigue Detection	
Intelligent speed assistant	
Special price	1,080.-

These offers are valid only in conjunction with the purchase of the listed vehicles.

Please find more details concerning weight under "Important references"

△ Not known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the

manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Accessories Lyseo Time "SkyLine"

● Standard equipment ○ Optional equipment □ Optional extra available in a package — Not possible △ Not known at the time of publication

Description	Price £ a)	690 G	Additional weight*
Fiat Engine			
Fiat Ducato Multijet 3 - 2.2l - 140 hp - Euro 6E - automatic gearbox (light duty)	3,270.-	○	60
Fiat Ducato Multijet 3 - 2.2l - 180 hp - Euro 6E - automatic gearbox (light duty)	7,300.-	○	20
Weight Increases			
Weight upgrade to 3,650 kg on Fiat chassis	380.-	○	0
Fiat Chassis			
Fuel tank, 90 ltr.	110.-	○	25
Preparation Trailer Coupling Fiat	230.-	○	△
Exterior Body			
Original parts & accessories: Camping furniture set ⁵⁾	402.-	○	21
Original parts & accessories: Sunprotection windshield ⁵⁾	126.-	○	1
Original parts & accessories: Winter insulation mat windshield ⁵⁾	344.-	○	3
Rear Corner Steadies	390.-	○	7
Trailer Coupling	1,620.-	○	50
Habitation			
Electric Fold-down bed over Seating	2,090.-	○	50
Fitted sheets for fixed beds	70.-	□	1
Fitted sheets for the folding down bed	70.-	○	1
Isofix Child Seat Fastening	340.-	○	6
Optional cushion for occasional bed	220.-	○	3
Original parts & accessories: Mattress topper double bed ⁵⁾	288.-	○	△
Original parts & accessories: Mattress topper single bed ⁵⁾	173.-	○	△
Electrical			
Additional lithium battery 100 Ah ⁸⁾	1,140.-	○	13
Lithium battery 100 Ah ⁸⁾	1,140.-	○	-15
Second Leisure Battery 95 Ah	430.-	○	27
Solar Panels 1 x 100 Watt ⁹⁾	520.-	○	12



*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Description	Price £ a)	690 G	Additional weight*
Gas System			
Remote indication for Security Gas Pressure Regulator Toptron (CPU)	70.-	o	1
Security Gas Pressure Regulator Toptron (CPU) inc. Automatic Changeover Facility	400.-	o	1
Audio - Media			
Navigation for media center including reversing camera ⁴⁾	740.-	o	5
WiFi Connect Module	1,100.-	□	3
Fiat Chassis Packages			
Safety Package	1,080.-	o	Δ
Packages			
Ambience Package 1 ¹³⁾	580.-	o	16
Ambience Package 2 ¹³⁾	580.-	o	16
Connect Package with 21.5" Smart TV	1,770.-	o	8
Equipment Line "Premium" ⁴⁾	3,020.-	o	Δ
Winter Package	1,810.-	o	13



*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo TD



- Standard equipment
- Optional equipment
- Not possible
- △ Not known at the time of publication

Models	TD 594	TD 644 G	TD 684 G
Fiat Ducato Multijet 3 - 2.2l - 140 hp - Euro 6E - manual gearbox (light duty) - for TD 744 180 hp automatic gearbox	84,990.-	87,590.-	88,190.-
Overall length (app. cm)	599	699	689
Overall width (app. cm)	230	230	230
Overall height (app. cm)	295	295	295
Overall height Internal (app. cm)	205	205	205
Technically permissible maximum laden mass (kg)*	3500	3500	3500
Mass in running order (kg) (+/-5%)*	2910 (2765 to 3056)*	3045 (2893 to 3197)*	3060 (2907 to 3213)*
Manufacturer-specified mass for optional equipment (kg)*	250	105	91
Technically permissible maximum towable mass (ca. kg)	2000	2000	2000
Total weight gross vehicle (approx. kg)	5500	5500	5500
Wheelbase, approx. mm	3800	3800	4035
Permitted number of seats (including driver)*	4	4	4
Sleeping berths standard / max.	2 - 4 ○ ¹⁷⁾	4	2 - 4 ○ ¹⁷⁾
Bed size centre (app. cm)	206x120 ○		206x130 ○
Fold down bed (app. cm)	140-194x200		159-213x200
Bed size rear (app. cm)		205x155-135	
Fold down bed rear (app. cm)		206x138	
Refrigerator volume incl. freezer, approx. l	133 (12)	175 (34)	142 (15)
Fresh water supply, approx. l	105	101	105
Water supply, approx. l (whilst driving)	20	20	20
Waste water tank, approx. l	90	90	90
Insulation floor / side walls / roof, mm	40 / 30 / 30	40 / 30 / 30	40 / 30 / 30
Storage space for gas cylinders (filling weight in kg)	2x 11kg	2x 11kg	2x 11kg

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.



TD 690 G	TD 727 G	TD 736	TD 744 HL
87,190.-	90,390.-	90,390.-	98,290.-
699	736	736	736
230	230	230	230
295	295	295	299
205	205	205	205
3500	3500	3500	4400
2990 (2841 to 3140)*	3065 (2912 to 3218)*	3085 (2931 to 3239)*	3246 (3084 to 3408)*
160	76	56	791
2000	2000	2000	
5500	5500	5500	5500
4035	4035	4035	4035
4 - 5 o ¹⁵⁾	4	4	4 - 5 o ¹⁶⁾
2 - 5 o ¹⁸⁾	2 - 5 o ¹⁸⁾	2 - 5 o ¹⁸⁾	2 - 5 o ¹⁹⁾
210 x 115 - 86 o	207 x 103 - 65 o	207 x 103 - 65 o	210 x 125 - 97 o
200 x 135 - 125 o	199 x 134 - 125 o	199 x 134 - 125 o	199 x 134 - 125 o
199 x 80 - 63 / 190 x 80	205 - 191 x 80 / 201 - 197 x 80	188 x 152	
			199 x 140
142 (15)	133 (12)	133 (12)	133 (12)
105	105	105	105
20	20	20	20
90	90	90	90
40 / 30 / 30	40 / 30 / 30	40 / 30 / 30	40 / 30 / 30
2x 11kg	2x 11kg	2x 11kg	2x 11kg

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo TD



- Standard equipment
- Optional equipment
- Not possible
- △ Not known at the time of publication

Models	TD 594	TD 644 G	TD 684 G
Weight Increases			
Weight upgrade to 3,650 kg on Fiat chassis	—	●	●
Fiat Chassis			
ABS (Anti Lock Braking System)	●	●	●
All-season tyres	●	●	●
Alloy Wheels 16" Bi-Color	●	●	●
Black frame headlights	●	●	●
Colour-coded front bumper	●	●	●
Cruise control	●	●	●
Daytime running lights	●	●	●
ESP incl. Traction Control, Hill Holder and Traction Plus	●	●	●
Fiat Ducato Low Level chassis	●	●	●
Fix and Go Kit (Instead of Spare Wheel)	●	●	●
Front Fog Lights	●	●	●
Fuel tank 60 ltr.	●	●	●
Heavy Duty Alternator (220 Ah)	●	●	●
Hubcaps	●	●	●
Reinforced battery (105 Ah)	●	●	●
Start and stop function	●	●	●
Tyre pressure sensor for Fiat chassis	●	●	●
Wheel / Tyre size 15 inches	●	●	●
Wide mirrors	●	●	●
Wider rear axle	●	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo TD



- Standard equipment
- Optional equipment
- Not possible
- △ Not known at the time of publication

Models	TD 594	TD 644 G	TD 684 G
Fiat Cab			
Adjustable passenger and drivers seats	●	●	●
Cab Blinds	●	●	●
Cab blinds	●	●	●
Cup Holder for driver and passenger	●	●	●
Dashboard refinement Techno	●	●	●
Driver and passenger airbag	●	●	●
Driver seat and front passenger seat upholstered to match the living area	●	●	●
Heated and electrically adjustable mirrors	●	●	●
Leather steering wheel and gear knob	●	●	●
Manual cab air conditioning with pollen filter	●	●	●
Exterior Body			
Aluminium framed windows	●	●	●
Door sills	●	●	●
Double Glazed window with Blinds	●	●	●
Electric Door Step	●	●	●
Electrical inset step	●	●	●
Exterior Garage Door, left	—	●	●
Exterior Garage Door, right	—	●	●
GRP Floor	●	●	●
GRP Roof	●	●	●
Habitation door (wide version)	●	●	●
Habitation door - Premium XL (central locking, windows, mosquito net and charging station for the Home-Light battery light)	●	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo TD



- Standard equipment
- Optional equipment
- Not possible
- △ Not known at the time of publication

Models	TD 594	TD 644 G	TD 684 G
Paintwork Lanzarote Grey (Cab)	●	●	●
Product graphics "Harmony Line"	●	●	●
Rear bumper with chrome finish	●	●	●
Rear windows	—	●	—
Roll out awning in anthracite - 3.0 m inc. LED-lights	●	—	—
Roll out awning in anthracite - 4.0 m inc. LED-lights	—	●	●
Roof light in Bathroom	●	●	●
Roof light in kitchen	—	●	●
Service flap in the right direction of travel	●	—	—
Sleeping area roof light 40 x 40 cm	●	●	●
Sun-Roof	●	●	●
Third Brake Light	●	●	●
Habitation			
"Harmony Line" embroidery	●	●	●
Bahia Furniture	●	●	●
Carpet to Cab & Living Area	●	●	●
Couch-to-Couch seating group incl. single-column table base, tabletop can be moved in all directions	●	—	●
Drop-down bed can be used as a transverse or longitudinal bed ²⁰⁾	●	●	●
Electric Drop Down bed in rear	—	●	—
Extendable hooking table	—	—	—
Fixed Bed with Multi-zone comfort foam mattresses	●	●	●
Folding table	●	—	●
Infill cushion for single beds	—	—	—

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo TD



- Standard equipment
- Optional equipment
- Not possible
- △ Not known at the time of publication

Models	TD 594	TD 644 G	TD 684 G
Lashing eyes with rail in rear garage / rear storage	—	●	●
Lounge Package ²¹⁾	—	—	—
Rear roof locker ventilator	●	●	●
Rear seating group convertible to bed	—	●	—
Rotating worktop extension	—	—	●
Thermofloor	●	●	●
Underfloor storage	●	●	●
Upholstery Verona Pure	●	●	●
Vario Roller Blinds	●	●	●
Kitchen			
3 flame hob with glass cover and separate sink and chopping board ²²⁾	●	●	●
Backlit coffee capsule holder ²³⁾	●	—	●
Combination oven (oven, grill, hob combined)	●	●	●
Illuminated wall panel	●	●	●
Magnetic holder for glasses	●	●	●
Water System			
Cassette Toilet	●	●	●
Central Service Unit	●	—	●
High Performance Water Pump	●	●	●
Electrical			
230 V Socket in rear garage	—	●	●
Charging booster	●	●	●
Charging station Home Light	●	●	●
Exterior Power Socket 230 V / 12 V / TV	●	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo TD



- Standard equipment
- Optional equipment
- Not possible
- △ Not known at the time of publication

Models	TD 594	TD 644 G	TD 684 G
Facility for climate, SAT, solar	●	●	●
Home Light	—	—	—
Indirect ceiling lighting	●	●	●
Indirect lighting	●	●	●
Indirect lighting from drop-down bed (only fold-down bed version)	●	●	●
LED reading lights	●	●	●
Leisure battery AGM 95 Ah	●	●	●
Light in Wardrobe	●	●	●
Power sockets 12 V / 230 V	●	●	●
Socket in rear garage	—	●	●
Solar Panels 1 x 100 Watt	●	●	●
USB-Sockets	●	●	●
Gas System			
Digital control panel CP plus	●	●	●
Exterior Gas Point	●	●	●
Gas Heater Combi 6 E	●	●	●
Gas compartment for 2x 11 kg	●	●	●
Audio - Media			
Flatscreen holder	●	●	●
Flatscreen holder, additional in the rear incl. Preparation for 2nd TV	—	—	—
Multimedia system AVH-Z5100 DAB inc. rear camera	●	●	●
Preparation for 2nd TV position	—	—	—
Radio preparation including DAB + antenna in the exterior mirror	●	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo TD



- Standard equipment
- Optional equipment
- Not possible
- △ Not known at the time of publication

Models	TD 594	TD 644 G	TD 684 G
Packages			
Equipment Line "Flex"	●	●	●
Harmony Line Package (690 / 744)	—	—	—
Harmony Line Package (594)	●	—	—
Harmony Line Package (644 G)	—	●	—
Harmony Line Package (684)	—	—	●
Harmony Line Package (727 / 736)	—	—	—

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.



TD 690 G	TD 727 G	TD 736	TD 744 HL
•	•	•	•
•	–	–	•
–	–	–	–
–	–	–	–
–	–	–	–
–	•	•	–

 *INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Equipment lines Lyseo TD

	Flex	Premium
Reinforced battery (105 Ah)	●	●
Heavy Duty Alternator (220 Ah)	●	●
USB-Sockets	●	●
All-season tyres	●	●
Wide mirrors	●	●
Fuel tank 60 ltr.	●	●
ESP incl. Traction Control, Hill Holder and Traction Plus	●	●
Colour-coded front bumper	●	●
Front Fog Lights	●	●
Manual cab air conditioning with pollen filter	●	●
White Paintwork	●	●
Radio preparation including DAB + antenna in the exterior mirror	●	●
Black frame headlights	●	●
Daytime running lights	●	●
Cruise control	●	●
Wider rear axle	●	●
Heated and electrically adjustable mirrors	●	●
Leather steering wheel and gear knob	●	●
Dashboard refinement Techno	●	●
Tyre pressure sensor for Fiat chassis	●	●
Alloy Wheels 16" Bi-Color	●	●
Multimedia system AVH-Z5100 DAB inc. rear camera	●	—
Navigation for media center including reversing camera	○	—
Fuel tank, 90 ltr.	○	○
Safety Package	○	○
Uconnect radio with 10-inch screen and navigation, reversing camera, preparation for electronically adjustable air conditioning, induction charging station & digital instrument panel	—	●
Full-LED headlights with black headlight surround	—	●
Electronic parking brake	—	●
Excess weight Equipment line (kg)*	19	△
Special price	Standard	3,020.-

Packs Lyseo TD

Package	Harmony Line Package (594)	Harmony Line Package (644 G)	Harmony Line Package (684)	Harmony Line Package (690 / 744)	Harmony Line Package (727 / 736)
Aluminium framed windows	x	x	x	x	x
Cab blinds	x	x	x	x	x
Rear bumper with chrome finish	x	x	x	x	x
Product graphics "Harmony Line"	x	x	x	x	x
"Harmony Line" embroidery	x	x	x	x	x
Illuminated wall panel	x	x	x	x	x
Sun-Roof	x	x	x	x	x
Indirect lighting on rear lockers	x		x	x	x
Roof cabinets with indirect lighting	x	x	x	x	x
Indirect feature LED lighting to worktops	x	x	x	x	x
Illuminated mirror in the bathroom	x	x	x	x	x
Habitation door - Premium XL (central locking, windows, mosquito net and charging station for the Home-Light battery light)	x	x	x	x	x
Vario Roller Blinds	x	x	x	x	x
Exterior Garage Door, left		x		x	x
Special price £	3,980.-	4,430.-	3,980.-	4,430.-	4,430.-
Additional weight* (kg)	35	41	39	47	41

Packages

Winter Package (TD 594 - Upgrade to Combi 4 heating)	+19 kg*
Gas Heater Combi 6 E	
Heated and insulated Wastewater Tank and Discharge	
Heated passenger seat	
Heated drivers seat	
Special price	1,380.-

Winter Package	+19 kg*
Gas Heater Combi 6 E	
Heated and insulated Wastewater Tank and Discharge	
Heated drivers seat	
Heated passenger seat	
Special price	1,400.-

Ambience Package 1	+16 kg*
Scatter Cushions x 4	
Fitted sheets for fixed beds	
Special price	190.-

Multimedia Package 65 cm	+25 kg*
SAT-System Telesat HD autom.65 cm	
Flatscreen 22" (incl. DVB-T, DVB-S Receiver, DVD)	
Solar Panels 1 x 100 Watt	
Special price	2,520.-



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the

manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Multimedia Package 85 cm	+25 kg*
SAT-System Telesat HD autom.85 cm	
Flatscreen 22" (incl. DVB-T, DVB-S Receiver, DVD)	
Solar Panels 1 x 100 Watt	
Special price	2,610.-

Multimedia Package TWIN 65cm	+27 kg*
SAT-System Telesat TWIN HD autom. 65 cm	
Flatscreen 22" (incl. DVB-T, DVB-S Receiver, DVD)	
Solar Panels 1 x 100 Watt	
Flatscreen holder, additional in the rear incl. Preparation for 2nd TV	
Special price	2,880.-

Multimedia Package TWIN 85cm	+29 kg*
SAT-System Telesat TWIN HD autom. 85 cm	
Flatscreen 22" (incl. DVB-T, DVB-S Receiver, DVD)	
Solar Panels 1 x 100 Watt	
Flatscreen holder, additional in the rear incl. Preparation for 2nd TV	
Special price	2,960.-

Connect Package with 21.5" Smart TV	+8 kg*
21.5" Oyster Smart TV	
WiFi Connect Module	
Flatscreen holder	
Special price	1,770.-

Connect Package with 32" Smart TV	+10 kg*
32" Oyster Smart TV	
WiFi Connect Module	
Flatscreen holder	
Special price	2,220.-

Ambience Package 2	+16 kg*
Scatter Cushions x 4	
Fitted sheets for all bed types	
Special price	580.-

Fiat Chassis Packages

Safety Package	△
Emergency brake assistant (pedestrian and cyclist detection)	
Lane departure warning	
Rain and Light Sensors	
Traffic sign recognition	
Automatic low beams	
Fatigue Detection	
Intelligent speed assistant	
Special price	1,080.-

These offers are valid only in conjunction with the purchase of the listed vehicles.

Please find more details concerning weight under "Important references"

△ Not known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the

manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Accessories Lyseo TD

● Standard equipment ○ Optional equipment □ Optional extra available in a package — Not possible △ Not known at the time of publication

Description	Price £ a)	TD 594	TD 644 G	TD 684 G	TD 690 G	TD 727 G	TD 736	TD 744 HL	Additional weight*
Fiat Engine									
Fiat Ducato Multijet 3 - 2.2l - 140 hp - Euro 6E - automatic gearbox (light duty)	3,270.-	○	○	○	○	○	○	—	60
Fiat Ducato Multijet 3 - 2.2l - 180 hp - Euro 6E - automatic gearbox (light duty)	7,300.-	○	○	○	○	○	○	●	20
Fiat Chassis									
Fuel tank, 90 ltr. ²⁴⁾	110.-	○	○	○	○	○	○	○	25
Preparation Trailer Coupling Fiat	230.-	○	○	○	○	○	○	○	△
Exterior Body									
Bicycle Rack for 3 Bikes (max. load 60 kg)	430.-	○	○	○	○	○	○	○	15
Original parts & accessories: Camping furniture set ⁵⁾	402.-	○	○	○	○	○	○	○	21
Original parts & accessories: Sunprotection windshield ⁵⁾	126.-	○	○	○	○	○	○	○	1
Original parts & accessories: Winter insulation mat windshield ⁵⁾	344.-	○	○	○	○	○	○	○	3
Rear Corner Steadies	390.-	○	○	○	○	○	○	○	7
Roof light 50 x 70 cm ^{9) 25)}	520.-	○	—	○	○	○	○	○	6
Roof light with fan in kitchen	190.-	—	○	○	○	○	○	○	4
Roof light with fan in washroom	190.-	○	—	○	○	○	○	○	4
Sun-Roof XL in combination with rooflight 50 x 70 cm ²⁶⁾	1,150.-	—	—	—	○	○	○	○	27
Telescopic bicycle rack for 3 bikes (max. load 50 kg)	760.-	○	○	○	○	○	○	○	21
Trailer Coupling	1,620.-	—	—	—	○	—	—	—	40
Trailer Coupling	1,620.-	—	○	○	—	○	○	○	45
Trailer Coupling	1,620.-	○	—	—	—	—	—	—	50
Habitation									
Dinette transformable to berth	450.-	○	○	○	○	○	○	○	10
Electric Fold-down bed over Seating	2,090.-	●	●	●	○	○	○	○	50
Fitted sheets for fixed beds	70.-	—	—	—	□	□	□	○	1
Fitted sheets for the folding down bed	70.-	○	○	○	○	○	○	○	1
Isofix Child Seat Fastening	340.-	—	—	—	○	—	—	○	6



*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Description	Price £ a)								Additional weight*
		TD 594	TD 644 G	TD 684 G	TD 690 G	TD 727 G	TD 736	TD 744 HL	
L shaped seating	600.-	—	—	—	o	—	—	o	5
Original parts & accessories: Mattress topper double bed ⁵⁾	288.-	o	o	o	o	o	o	o	Δ
Original parts & accessories: Mattress topper single bed ⁵⁾	173.-	o	o	o	o	o	o	o	Δ
Queens bed - electrically height adjustable	1,330.-	—	—	—	—	—	o	—	21
Santina Furniture		o	o	o	o	o	o	o	0
Upholstery Bari Pure		o	o	o	o	o	o	o	0
Upholstery Catania Pure		o	o	o	o	o	o	o	0
Upholstery Genua Pure		o	o	o	o	o	o	o	0
Upholstery Osaka Pure - full leather	2,550.-	o	o	o	o	o	o	o	0
Vario-Seat	710.-	—	—	—	o	—	—	o	14
Kitchen									
Extractor Fan	260.-	o	o	o	o	o	o	o	2
Water System									
Heated Wastewater Tank	190.-	o	o	o	o	o	o	o	1
Outside Shower with Mixer Tap	230.-	o	o	o	o	o	o	o	3
Electrical									
Additional lithium battery 100 Ah ⁸⁾	1,140.-	o	o	o	o	o	o	o	13
Lithium battery 100 Ah ⁸⁾	1,140.-	o	o	o	o	o	o	o	-15
Second Leisure Battery 95 Ah	430.-	o	o	o	o	o	o	o	27
Gas System									
Remote indication for Security Gas Pressure Regulator Toptron (CPU)	70.-	o	o	o	o	o	o	o	1
Roof Air Conditioning 2460 W ⁹⁾	2,320.-	o	o	o	o	o	o	o	37
Security Gas Pressure Regulator Toptron (CPU) inc. Automatic Changeover Facility	400.-	o	o	o	o	o	o	o	1
Audio - Media									
Flatscreen 22" (incl. DVB-T, DVB-S Receiver, DVD) ¹⁰⁾	570.-	□	□	□	□	□	□	□	4
Navigation for media center including reversing camera ⁴⁾	740.-	o	o	o	o	o	o	o	5
SAT system Oyster 80 Premium Base incl. 21.5 inch flat screen ⁹⁾	2,990.-	o	o	o	o	o	o	o	22
SAT system Oyster 80 TWIN Premium Base incl. 21.5 inch flat screen ⁹⁾	3,140.-	—	—	—	o	o	o	o	26
SAT-System Telesat HD autom.65 cm ⁹⁾	2,210.-	□	□	□	□	□	□	□	15
SAT-System Telesat HD autom.85 cm ⁹⁾	2,320.-	□	□	□	□	□	□	□	15
SAT-System Telesat TWIN HD autom. 65 cm ⁹⁾	2,380.-	—	—	—	□	□	□	□	16



*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Description	Price £ a)	TD 594	TD 644 G	TD 684 G	TD 690 G	TD 727 G	TD 736	TD 744 HL	Additional weight*
SAT-System Telesat TWIN HD autom. 85 cm ⁹⁾	2,480.-	—	—	—	□	□	□	□	16
SAT-System V 85 Premium incl. 21.5" LED-TV ⁹⁾	3,910.-	○	○	○	○	○	○	—	19
SAT-System V 85 TWIN Premium incl. 21,5" LED-TV ^{9) 25)}	4,680.-	—	—	—	○	○	○	—	25
Second flat screen 22 inch Teleco incl. DVB-T, DVB-S receiver, DVD for TWIN system	570.-	—	—	—	○	○	○	○	4
WiFi Connect Module ⁹⁾	1,100.-	□	□	□	□	□	□	□	3
Fiat Chassis Packages									
Safety Package ⁴⁾	1,080.-	○	○	○	○	○	○	○	△
Packages									
Ambience Package 1 ¹³⁾	190.-	○	○	○	○	○	○	—	16
Ambience Package 2 ¹³⁾	580.-	—	—	—	○	○	○	○	16
Connect Package with 21.5" Smart TV ⁹⁾	1,770.-	○	○	○	○	○	○	○	8
Connect Package with 32" Smart TV ⁹⁾	2,220.-	—	—	—	—	—	—	○	10
Equipment Line "Premium"	3,020.-	○	○	○	○	○	○	○	△
Multimedia Package 65 cm	2,520.-	○	○	○	○	○	○	○	25
Multimedia Package 85 cm	2,610.-	○	○	○	○	○	○	○	25
Multimedia Package TWIN 65cm	2,880.-	—	—	—	○	○	○	○	27
Multimedia Package TWIN 85cm	2,960.-	—	—	—	○	○	○	○	29
Winter Package	1,400.-	—	○	○	○	○	○	○	19
Winter Package (TD 594 - Upgrade to Combi 4 heating)	1,380.-	○	—	—	—	—	—	—	19



*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo Gallery TD



● Standard equipment

○ Optional equipment

— Not possible

△ Not known at the time of publication

Models	TD 649 G	TD 689 G
Fiat Ducato Multijet 3 - 2.2 L - 140 hp - Euro 6 E Final (Heavy Duty) - Manual gearbox - for 689 G 180 hp automatic gearbox (Maxi Chassis)	101,990.-	110,190.-
Overall length (app. cm)	699	690
Overall width (app. cm)	230	230
Overall height (app. cm)	299 ²⁷⁾	299 ²⁷⁾
Overall height Internal (app. cm)	205	205
Technically permissible maximum laden mass (kg)*	3650	4400
Mass in running order (kg) (+/-5%)*	3274 (3110 to 3438)*	3301 (3136 to 3466)*
Manufacturer-specified mass for optional equipment (kg)* Technically permissible maximum towable mass (ca. kg)	24	748
Total weight gross vehicle (approx. kg)	2000	2000
Wheelbase, approx. mm	5500	5500
Permitted number of seats (including driver)*	3800	4035
Sleeping berths standard / max.	4	4
Bed dimension: Alcove, L x W, approx. cm	4 - 6 ○ ²⁸⁾	3
Bed size centre (app. cm)	200x150	200x150
Bed size rear (app. cm)		155x120-100
Fold down bed rear (app. cm)	204x141	
Refrigerator volume incl. freezer, approx. l	195x136 ○	
Fresh water supply, approx. l	175 (34)	131,5 (15)
Water supply, approx. l (whilst driving)	85	85
Waste water tank, approx. l	20	20
Insulation floor / side walls / roof, mm	90	90
Storage space for gas cylinders (filling weight in kg)	40 / 34 / 30	40 / 34 / 30
	2x 11kg	2x 11kg

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo Gallery TD



● Standard equipment ○ Optional equipment — Not possible △ Not known at the time of publication

Models	TD 649 G	TD 689 G
Weight Increases		
Weight upgrade to 3,650 kg on Fiat chassis	●	—
Fiat Chassis		
ABS (Anti Lock Braking System)	●	●
All-season tyres	●	●
Alloy Wheels 16" Bi-Color	●	●
Black frame headlights	●	●
Colour-coded front bumper	●	●
Cruise control	●	●
ESP incl. Traction Control, Hill Holder and Traction Plus	●	●
Fiat Ducato Low Level chassis	●	●
Fix and Go Kit (Instead of Spare Wheel)	●	●
Front Fog Lights	●	●
Fuel tank 60 ltr.	●	●
Heavy Duty Alternator (220 Ah)	●	●
Hubcaps	●	●
Reinforced battery (105 Ah)	●	●
Start and stop function	●	●
Tyre pressure sensor for Fiat chassis	●	●
Wide mirrors	●	●
Wider rear axle	●	●
Fiat Cab		
Adjustable passenger and drivers seats	●	●
Cab Blinds	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo Gallery TD



● Standard equipment ○ Optional equipment — Not possible ▲ Not known at the time of publication

Models	TD 649 G	TD 689 G
Cab blinds	●	●
Cup Holder for driver and passenger	●	●
Dashboard refinement Techno	●	●
Driver and passenger airbag	●	●
Driver seat and front passenger seat upholstered to match the living area	●	●
Heated and electrically adjustable mirrors	●	●
Height adjustable driver seat	●	●
Height adjustable passenger seat	●	●
Leather steering wheel and gear knob	●	●
Manual cab air conditioning with pollen filter	●	●
USB charging socket in the cab	●	●
Exterior Body		
Aluminium framed windows	●	●
Door sills	●	●
Double Glazed window with Blinds	●	●
Electric Door Step	●	●
Electrical inset step	●	●
Exterior Garage Door, left	●	●
Exterior Garage Door, right	●	●
GRP Roof	●	●
GRP underbody	●	●
Habitation door (wide version)	●	●
Habitation door - Premium XL (central locking, windows, mosquito net and charging station for the Home-Light battery light)	●	●
Paintwork Lanzarote Grey (Cab)	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo Gallery TD



● Standard equipment ○ Optional equipment — Not possible △ Not known at the time of publication

Models	TD 649 G	TD 689 G
Product graphics "Harmony Line"	●	●
Rear bumper with chrome finish	●	●
Rear windows	●	—
Roof light in Bathroom	—	●
Roof light in kitchen	●	●
Roof light in shower area	—	●
Sleeping area roof light 40 x 40 cm	●	—
Sun-Roof	●	●
Third Brake Light	●	●
Habitation		
"Harmony Line" embroidery	●	●
3rd and 4th belt-secured seat in the seating group	●	●
Alcove bed with Multi-zone comfort foam mattresses	●	●
Carpet to Cab & Living Area	●	●
Clothes hooks	●	●
Furniture Sandy Grey	●	●
Illuminated entry aid (handle) in the entrance area	●	●
L shaped seating	—	●
Lashing eyes with rail in rear garage / rear storage	●	●
Rear seating group convertible to bed	●	—
Rotating worktop extension	—	●
Thermofloor	●	●
Underfloor storage	●	●
Upholstery Verona Pure	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo Gallery TD



● Standard equipment ○ Optional equipment — Not possible ▲ Not known at the time of publication

Models	TD 649 G	TD 689 G
Vario Roller Blinds	●	●
Kitchen		
Combination oven (oven, grill, hob combined)	●	●
Illuminated wall panel	●	●
Magnetic holder for glasses	—	●
Multifunctional rail	●	●
Water System		
Cassette Toilet	●	●
Central Service Unit	●	●
High Performance Water Pump	●	●
Electrical		
3 x 230 V Electric sockets	●	●
Additional Battery light "Home Light"	●	●
Back cabinets with indirect lighting	●	●
Ceiling paneling with indirect lighting	●	●
Charging booster	●	●
Charging station Home Light	●	●
Exterior Power Socket 230 V / 12 V / TV	●	●
Facility for climate, SAT, solar	●	●
Front cabinets with indirect lighting	●	●
Home Light (2 pieces)	●	●
Illuminated mirror in the bathroom	●	●
Indirect ceiling lighting	●	●
Indirect feature LED lighting to worktops	●	●
Indirect kitchen lighting	●	●
Indirect lighting from drop-down bed (only fold-down bed version)	●	—

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo Gallery TD



● Standard equipment ○ Optional equipment — Not possible △ Not known at the time of publication

Models	TD 649 G	TD 689 G
Indirect lighting on canopy bar	●	●
Indirect lighting on rear lockers	●	●
LED reading lights	●	●
Light in Wardrobe	●	●
Lithium battery 100 Ah ⁸⁾	●	●
Roof cabinets with indirect lighting	●	●
Socket in rear garage	●	●
Solar Panels 1 x 100 Watt	●	●
USB-Sockets	●	●
Gas System		
Digital control panel CP plus	●	●
Exterior Gas Point	●	●
Gas Heater Combi 6 E	●	●
Warm air circulation	●	●
Audio - Media		
Flatscreen holder	●	●
Radio preparation including DAB + antenna in the exterior mirror	●	●
Packages		
Equipment Line "Flex"	●	●
Harmony Line Package (Gallery 649)	●	—
Harmony Line Package (Gallery 689)	—	●
Light Package	●	—
Light Package	—	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Equipment lines Lyseo Gallery TD

	Flex	Premium
Reinforced battery (105 Ah)	●	●
Heavy Duty Alternator (220 Ah)	●	●
USB-Sockets	●	●
All-season tyres	●	●
Wide mirrors	●	●
Fuel tank 60 ltr.	●	●
ESP incl. Traction Control, Hill Holder and Traction Plus	●	●
Colour-coded front bumper	●	●
Front Fog Lights	●	●
Manual cab air conditioning with pollen filter	●	●
White Paintwork	●	●
Radio preparation including DAB + antenna in the exterior mirror	●	●
Black frame headlights	●	●
Daytime running lights	●	●
Cruise control	●	●
Wider rear axle	●	●
Heated and electrically adjustable mirrors	●	●
Leather steering wheel and gear knob	●	●
Dashboard refinement Techno	●	●
Tyre pressure sensor for Fiat chassis	●	●
Alloy Wheels 16" Bi-Color	●	●
Multimedia system AVH-Z5100 DAB inc. rear camera	●	—
Navigation for media center including reversing camera	○	—
Fuel tank, 90 ltr.	○	○
Safety Package	○	○
Uconnect radio with 10-inch screen and navigation, reversing camera, preparation for electronically adjustable air conditioning, induction charging station & digital instrument panel	—	●
Full-LED headlights with black headlight surround	—	●
Electronic parking brake	—	●
Excess weight Equipment line (kg)*	19	△
Special price	Standard	3,020.-

Packs Lyseo Gallery TD

Package	Harmony Line Package (Gallery 649)	Harmony Line Package (Gallery 689)
"Harmony Line" embroidery	x	x
Aluminium framed windows	x	x
Rear bumper with chrome finish	x	x
Illuminated wall panel	x	x
Product graphics "Harmony Line"	x	x
Cab blinds	x	x
Exterior Garage Door, left	x	
Habitation door - Premium XL (central locking, windows, mosquito net and charging station for the Home-Light battery light)	x	x
Front cabinets with indirect lighting	x	x
Back cabinets with indirect lighting	x	x
Ceiling paneling with indirect lighting	x	x
Indirect feature LED lighting to worktops	x	x
Illuminated mirror in the bathroom	x	x
Indirect lighting on rear lockers	x	x
Roof cabinets with indirect lighting	x	x
Indirect kitchen lighting	x	
Indirect lighting on canopy bar	x	x
Special price £	3,460.-	3,460.-
Additional weight* (kg)	26	19

Packages

Light Package	△
Front cabinets with indirect lighting	
Back cabinets with indirect lighting	
Ceiling paneling with indirect lighting	
Indirect feature LED lighting to worktops	
Illuminated mirror in the bathroom	
Additional Battery light "Home Light"	
Indirect lighting on rear lockers	
Roof cabinets with indirect lighting	
Indirect kitchen lighting	
Indirect lighting on canopy bar	
Special price	887,390.

Light Package	△
Front cabinets with indirect lighting	
Back cabinets with indirect lighting	
Indirect lighting on canopy bar	
Ceiling paneling with indirect lighting	
Indirect feature LED lighting to worktops	
Illuminated mirror in the bathroom	
Additional Battery light "Home Light"	
Indirect lighting on rear lockers	
Roof cabinets with indirect lighting	
Indirect kitchen lighting	
Special price	887,390.



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the

manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Winter Package - Alde	+72 kg*
Floor heating in cab - ALDE	
Heated drivers seat	
Heated passenger seat	
Alde Warmwater Heating	
Heated and insulated Wastewater Tank and Discharge	
Alde Booster	
Special price	4,480.-

Winter Package	+19 kg*
Heated drivers seat	
Heated passenger seat	
Gas Heater Combi 6 E	
Heated and insulated Wastewater Tank and Discharge	
Special price	1,400.-

Multimedia Package 65 cm	+25 kg*
SAT-System Telesat HD autom.65 cm	
Flatscreen 22" (incl. DVB-T, DVB-S Receiver, DVD)	
Solar Panels 1 x 100 Watt	
Special price	2,520.-

Connect Package with 21.5" Smart TV	+8 kg*
21.5" Oyster Smart TV	
WiFi Connect Module	
Flatscreen holder	
Special price	1,770.-

Ambience Package 2	+16 kg*
Scatter Cushions x 4	
Fitted sheets for all bed types	
Special price	580.-

Fiat Chassis Packages

Safety Package	△
Emergency brake assistant (pedestrian and cyclist detection)	
Lane departure warning	
Rain and Light Sensors	
Traffic sign recognition	
Automatic low beams	
Fatigue Detection	
Intelligent speed assistant	
Special price	1,080.-

These offers are valid only in conjunction with the purchase of the listed vehicles.

Please find more details concerning weight under "Important references"

△ Not known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the

manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Accessories Lyseo Gallery TD

● Standard equipment ○ Optional equipment □ Optional extra available in a package — Not possible △ Not known at the time of publication

Description	Price £ a)	TD 649 G	TD 689 G	Additional weight*
Fiat Engine				
Fiat Ducato Multijet 3 - 2.2l - 140 hp - Euro 6E - automatic gearbox (light duty)	3,270.-	○	—	60
Fiat Ducato Multijet 3 - 2.2l - 180 hp - Euro 6E - automatic gearbox (light duty)	7,300.-	○	●	20
Weight Increases				
Weight upgrade to 3.850 kg on Fiat Chassis	380.-	○	—	0
Weight upgrade to 4,250 kg on Fiat chassis ²⁹⁾	1,950.-	—	○	40
Fiat Chassis				
Fuel tank, 90 ltr. ²⁴⁾	110.-	○	○	25
Preparation Trailer Coupling Fiat	230.-	○	○	△
Exterior Body				
Bicycle Rack for 3 Bikes (max. load 60 kg)	430.-	○	○	15
Garage payload increase to 250 kg	180.-	○	○	3
Original parts & accessories: Camping furniture set ⁵⁾	402.-	○	○	21
Original parts & accessories: Sunprotection windshield ⁵⁾	126.-	○	○	1
Original parts & accessories: Winter insulation mat windshield ⁵⁾	344.-	○	○	3
Rear Corner Steadies	390.-	○	○	7
Roll out awning in anthracite - 3.5 m inc. LED-lights	1,200.-	○	●	27
Roof light 50 x 70 cm ³⁰⁾	520.-	○	○	6
Roof light with fan in kitchen	190.-	○	○	4
Roof light with fan in washroom	190.-	—	○	4
Telescopic bicycle rack for 3 bikes (max. load 50 kg)	760.-	○	○	21
Trailer Coupling	1,620.-	○	○	45
Habitation				
Dinette transformable to berth	450.-	—	○	10
Electric Drop Down bed in rear	2,090.-	○	—	50
Fitted Sheets for the bed in the alcove	70.-	○	○	1
Fitted sheets for the folding down bed	70.-	○	—	1



*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Description	Price £ a)	TD 649 G	TD 689 G	Additional weight*
Furniture Casa Pino		o	o	0
Isofix Child Seat Fastening	340.-	—	o	6
Original parts & accessories: Mattress topper double bed ⁵⁾	288.-	o	o	Δ
Original parts & accessories: Mattress topper single bed ⁵⁾	173.-	o	o	Δ
Upholstery Bari Pure		o	o	0
Upholstery Catania Pure		o	o	0
Upholstery Genua Pure		o	o	0
Upholstery Osaka Pure - full leather	2,550.-	o	o	0
Kitchen				
Extractor Fan	260.-	o	o	2
Water System				
Heated Wastewater Tank	190.-	o	o	1
Outside Shower with Mixer Tap	230.-	o	o	3
Electrical				
Additional lithium battery 100 Ah ⁸⁾	1,140.-	o	o	13
Second Leisure Battery 95 Ah	430.-	o	o	27
Gas System				
Remote indication for Security Gas Pressure Regulator Toptron (CPU)	70.-	o	o	1
Roof Air Conditioning 2460 W	2,320.-	o	o	37
Security Gas Pressure Regulator Toptron (CPU) inc. Automatic Changeover Facility	400.-	o	o	1
Audio - Media				
Flatscreen 22" (incl. DVB-T, DVB-S Receiver, DVD) ¹⁰⁾	570.-	□	□	4
WiFi Connect Module ¹¹⁾	1,100.-	□	□	3
Fiat Chassis Packages				
Safety Package ⁴⁾	1,080.-	o	o	Δ
Packages				
Ambience Package 2 ¹³⁾	580.-	o	—	16
Connect Package with 21.5" Smart TV ¹²⁾	1,770.-	o	o	8
Equipment Line "Premium"	3,020.-	o	o	Δ
Multimedia Package 65 cm	2,520.-	o	o	25
Winter Package	1,400.-	o	o	19
Winter Package - Alde	4,480.-	o	o	72



*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo I



● Standard equipment
 ○ Optional equipment
 — Not possible
 ▲ Not known at the time of publication

Models	I 690 G	I 726 G	I 727 G	I 736 G	I 744
Fiat Ducato Multijet 3 - 2,2 L - 180 BHP -Heavy Duty - 4400 kg - Euro VI E - Automatic Transmission	117,590.-	120,290.-	120,790.-	120,790.-	121,290.-
Overall length (app. cm)	698	736	736	736	736
Overall width (app. cm)	232	232	232	232	232
Overall height (app. cm)	291	291	291	291	291
Overall height Internal (app. cm)	198	198	198	198	198
Technically permissible maximum laden mass (kg)*	4400	4400	4400	4400	4400
Mass in running order (kg) (+/-5%)*	3380 (3211 to 3549)*	3445 (3273 to 3617)*	3475 (3301 to 3649)*	3425 (3254 to 3596)*	3494 (3319 to 3669)*
Manufacturer-specified mass for optional equipment (kg)*	670	596	566	616	548
Wheelbase, approx. mm	4035	4035	4035	4035	4035
Permitted number of seats (including driver)*	4	4 - 5 ○ ¹⁵⁾	4	4	4 - 5 ○ ¹⁵⁾
Sleeping berths standard / max.	4 - 5 ○ ³¹⁾				
Fold down (app. cm)	194x143	194x143	194x143	194x143	194x143
Bed size centre (app. cm)	202x113-86 ○	206x110 ○	202x102-64 ○	202x102-64 ○	
Bed size rear (app. cm)	194x79 199x79	199x79 200x79	207x79 203x79	190x150	
Fold down bed rear (app. cm)					199x140
Refrigerator volume incl. freezer, approx. l	142 (15)	142 (15)	142 (15)	142 (15)	142 (15)
Fresh water supply, approx. l	105	105	105	105	105
Water supply, approx. l (whilst driving)	20	20	20	20	20
Waste water tank, approx. l	90	90	90	90	90
Insulation floor / side walls / roof, mm	40 / 34 / 34	40 / 34 / 34	40 / 34 / 34	40 / 34 / 34	40 / 34 / 34

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo I



● Standard equipment
 ○ Optional equipment
 — Not possible
 △ Not known at the time of publication

Models	I 690 G	I 726 G	I 727 G	I 736 G	I 744
Storage space for gas cylinders (filling weight in kg)	2x 11kg				
Weight Increases					
Weight upgrade to 4,400 kg on Fiat chassis (180 BHP)	●	●	●	●	●
Fiat Chassis					
ABS (Anti Lock Braking System)	●	●	●	●	●
All-season tyres	●	●	●	●	●
Alloy Wheels 16" Bi-Color	●	●	●	●	●
Black frame headlights	●	●	●	●	●
Colour-coded front bumper	●	●	●	●	●
Cruise control	●	●	●	●	●
Daytime running lights	●	●	●	●	●
ESP incl. Traction Control, Hill Holder and Traction Plus	●	●	●	●	●
Fiat Ducato Low Level chassis	●	●	●	●	●
Fix and Go Kit (Instead of Spare Wheel)	●	●	●	●	●
Front Fog Lights	●	●	●	●	●
Fuel tank 60 ltr.	●	●	●	●	●
Grille with chrome accents	●	●	●	●	●
Heavy Duty Alternator (220 Ah)	●	●	●	●	●
Radiator grille with Bürstner logo, glossy black	●	●	●	●	●
Reinforced battery (105 Ah)	●	●	●	●	●
Start and stop function	●	●	●	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo I



● Standard equipment
 ○ Optional equipment
 — Not possible
 △ Not known at the time of publication

Models	I 690 G	I 726 G	I 727 G	I 736 G	I 744
Tyre pressure sensor for Fiat chassis	●	●	●	●	●
Wide mirrors	●	●	●	●	●
Wider rear axle	●	●	●	●	●
Fiat Cab					
Adjustable drivers seat	●	●	●	●	●
Adjustable passenger and drivers seats	●	●	●	●	●
Adjustable passenger seat	●	●	●	●	●
Cab blinds	●	●	●	●	●
Cab door left passenger	●	●	●	●	●
Cup Holder for driver and passenger	●	●	●	●	●
Dashboard refinement Techno	●	●	●	●	●
Driver and passenger airbag	●	●	●	●	●
Driver seat and front passenger seat upholstered to match the living area	●	●	●	●	●
Heated and electrically adjustable mirrors	●	●	●	●	●
Leather steering wheel and gear knob	●	●	●	●	●
Manual cab air conditioning with pollen filter	●	●	●	●	●
USB charging socket in the cab	●	●	●	●	●
Exterior Body					
Aluminium framed windows	●	●	●	●	●
Electric Door Step	●	●	●	●	●
Electrical inset step	●	●	●	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo I



- Standard equipment
- Optional equipment
- Not possible
- △ Not known at the time of publication

Models	I 690 G	I 726 G	I 727 G	I 736 G	I 744
Exterior Garage Door, left	●	●	●	●	●
Exterior Garage Door, right	●	●	●	●	●
GRP Roof	●	●	●	●	●
GRP underbody	●	●	●	●	●
Garage payload increase to 250 kg	●	●	●	●	●
Habitation door (wide version)	●	●	●	●	●
Habitation door - Premium XL (central locking, windows, mosquito net and charging station for the Home-Light battery light)	●	●	●	●	●
Living area roof light 40 x 40 cm	●	●	●	●	●
Product graphics "Harmony Line"	●	●	●	●	●
Rear bumper with chrome finish	●	●	●	●	●
Roll out awning in anthracite - 4.50 m inc. LED-lights	●	—	—	—	—
Roll out awning in anthracite - 5 m inc. LED-lights	—	●	●	●	●
Roof light 50 x 70 cm	●	●	●	●	●
Roof light in Bathroom	●	●	●	●	●
Roof light in kitchen	●	●	●	●	●
Roof light in shower area	—	—	●	●	●
Service flap in the right direction of travel	●	●	●	●	●
Sleeping area roof light 40 x 40 cm	●	●	●	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo I



- Standard equipment
- Optional equipment
- Not possible
- △ Not known at the time of publication

Models	I 690 G	I 726 G	I 727 G	I 736 G	I 744
Third Brake Light incl. reversing camera	●	●	●	●	●
White Paintwork	●	●	●	●	●
Habitation					
"Harmony Line" embroidery	●	●	●	●	●
Canopy with integrated light strip	●	●	●	●	●
Carpet to Cab & Living Area	●	●	●	●	●
Clothes hooks	●	●	●	●	●
Couch-to-Couch seating group incl. single-column table base, tabletop can be moved in all directions	—	—	●	●	—
Electric Drop Down bed in rear	—	—	—	—	●
Electric fold-down bed	●	●	●	●	●
Fixed Bed with Multi-zone comfort foam mattresses	●	●	●	●	●
Folding table top	—	—	●	●	—
Furniture Sandy Grey	●	●	●	●	●
Illuminated entry aid (handle) in the entrance area	●	●	●	●	●
Infill cushion for single beds	●	●	●	—	—
L shaped seating	●	●	—	—	●
Lashing eyes with rail in rear garage / rear storage	●	●	●	●	●
Lounge Package ²¹⁾	—	—	—	—	●
Rear roof locker ventilator	●	●	●	●	●
Thermofloor	●	●	●	●	●
Underfloor storage	●	●	●	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo I



- Standard equipment
- Optional equipment
- Not possible
- △ Not known at the time of publication

Models	I 690 G	I 726 G	I 727 G	I 736 G	I 744
Upholstery Verona Pure	●	●	●	●	●
Vario Roller Blinds	●	●	●	●	●
Kitchen					
Combination oven (oven, grill, hob combined)	●	●	●	●	●
Gas hob with electric ignition	●	●	●	●	●
Illuminated wall panel	●	●	●	●	●
Electrical					
230 V socket	●	●	●	●	●
Additional Battery light "Home Light"	●	●	●	●	●
Backlit mirror in the bathroom	●	●	●	●	●
Charging booster	●	●	●	●	●
Charging station Home Light	●	●	●	●	●
Exterior Power Socket 230 V / 12 V / TV	●	●	●	●	●
Facility for climate, SAT, solar	●	●	●	●	●
Home Light	●	●	●	●	●
Indirect feature LED lighting to worktops	●	●	●	●	●
Indirect lighting for drop-down bed shelving	●	●	●	●	●
Indirect lighting for entrance	●	●	●	●	●
Indirect lighting for headboard	●	●	●	●	—
Indirect lighting for rear drop-down bed	—	—	—	—	●
Indirect lighting for the living room roof, seating area, kitchen and rear bed	●	●	●	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo I



- Standard equipment
- Optional equipment
- Not possible
- △ Not known at the time of publication

Models	I 690 G	I 726 G	I 727 G	I 736 G	I 744
Indirect lighting from drop-down bed (only fold-down bed version)	●	●	●	●	●
Indirect lighting to shower column	●	●	●	●	●
Leisure battery AGM 95 Ah	●	●	●	●	●
Light in Wardrobe	●	●	●	●	●
Lighting above bathroom sink	●	●	●	●	●
Lighting canopy for rear sideboard	—	—	—	—	●
Roof cabinets with indirect lighting	●	●	●	●	●
Socket in rear garage	●	●	●	●	●
Solar Panels 1 x 100 Watt	●	●	●	●	●
USB-Sockets	●	●	●	●	●
Water System					
Cassette Toilet	●	●	●	●	●
Central Service Unit	●	●	●	●	●
Gas System					
Digital control panel CP plus	●	●	●	●	●
Exterior Gas Point	●	●	●	●	●
Gas Heater Combi 6 E	●	●	●	●	●
Audio - Media					
Flatscreen holder	●	●	●	●	●
Flatscreen holder, additional in the rear incl. Preparation for 2nd TV	●	●	●	●	●
Multimedia system AVH-Z5100 DAB inc. rear camera	●	●	●	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Lyseo I



- Standard equipment
- Optional equipment
- Not possible
- △ Not known at the time of publication

Models	I 690 G	I 726 G	I 727 G	I 736 G	I 744
Preparation for 2nd TV position	●	●	●	●	●
Radio preparation including DAB + antenna in the exterior mirror	●	●	●	●	●
Sound System	●	●	●	●	●
Packages					
Equipment Line "Flex"	●	●	●	●	●
Harmony Line Package Lyseo I (I 690 G, I 726 G, I 727 G, I 736)	●	●	●	●	—
Harmony Line Package Lyseo I 744	—	—	—	—	●
Light Package	●	●	●	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Equipment lines Lyseo I

	Flex	Premium
Reinforced battery (105 Ah)	●	●
Heavy Duty Alternator (220 Ah)	●	●
USB-Sockets	●	●
All-season tyres	●	●
Wide mirrors	●	●
Fuel tank 60 ltr.	●	●
ESP incl. Traction Control, Hill Holder and Traction Plus	●	●
Colour-coded front bumper	●	●
Front Fog Lights	●	●
Manual cab air conditioning with pollen filter	●	●
White Paintwork	●	●
Radio preparation including DAB + antenna in the exterior mirror	●	●
Black frame headlights	●	●
Daytime running lights	●	●
Cruise control	●	●
Wider rear axle	●	●
Heated and electrically adjustable mirrors	●	●
Leather steering wheel and gear knob	●	●
Dashboard refinement Techno	●	●
Tyre pressure sensor for Fiat chassis	●	●
Alloy Wheels 16" Bi-Color	●	●
Multimedia system AVH-Z5100 DAB inc. rear camera	●	—
Navigation for media center including reversing camera	○	—
Fuel tank, 90 ltr.	○	○
Safety Package	○	○
Uconnect radio with 10-inch screen and navigation, reversing camera, preparation for electronically adjustable air conditioning, induction charging station & digital instrument panel	—	●
Electronic parking brake	—	●
LED high and low beam	—	●
Excess weight Equipment line (kg)*	19	△
Special price	Standard	3,020.-

Packs Lyseo I

Package	Harmony Line Package Lyseo I (I 690 G, I 726 G, I 727 G, I 736)	Harmony Line Package Lyseo I 744
Habitation door - Premium XL (central locking, windows, mosquito net and charging station for the Home-Light battery light)	x	x
Indirect feature LED lighting to worktops	x	x
Roof light 50 x 70 cm	x	x
Exterior Garage Door, left	x	x
Rear bumper with chrome finish	x	x
Backlit mirror in the bathroom	x	x
Indirect lighting for drop-down bed shelving	x	x
Indirect lighting to shower column	x	x
Indirect lighting for entrance	x	x
Indirect lighting for headboard	x	x
Lighting above bathroom sink	x	x
Indirect lighting for the living room roof, seating area, kitchen and rear bed	x	x
Indirect lighting from drop-down bed (only fold-down bed version)	x	x
Exterior Power Socket 230 V / 12 V / TV	x	x
Grille with chrome accents	x	x
"Harmony Line" embroidery	x	x
Product graphics "Harmony Line"	x	x
Vario Roller Blinds	x	x
Lighting canopy for rear sideboard		x
Indirect lighting for rear drop-down bed		x
Special price £	3,640.-	3,640.-
Additional weight* (kg)	26	30

Packages

Winter Package	+19 kg*
Heated drivers seat	
Heated passenger seat	
Gas Heater Combi 6 E	
Heated and insulated Wastewater Tank and Discharge	
Special price	1,400.-

Multimedia Package 65 cm	+25 kg*
SAT-System Telesat HD autom.65 cm	
Flatscreen 22" (incl. DVB-T, DVB-S Receiver, DVD)	
Solar Panels 1 x 100 Watt	
Special price	2,520.-



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the

manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Multimedia Package 85 cm	+25 kg*
SAT-System Telesat HD autom.85 cm	
Flatscreen 22" (incl. DVB-T, DVB-S Receiver, DVD)	
Solar Panels 1 x 100 Watt	
Special price	2,610.-

Multimedia Package TWIN 65cm	+27 kg*
SAT-System Telesat TWIN HD autom. 65 cm	
Flatscreen 22" (incl. DVB-T, DVB-S Receiver, DVD)	
Solar Panels 1 x 100 Watt	
Flatscreen holder, additional in the rear incl. Preparation for 2nd TV	
Special price	2,880.-

Multimedia Package TWIN 85cm	+29 kg*
SAT-System Telesat TWIN HD autom. 85 cm	
Flatscreen 22" (incl. DVB-T, DVB-S Receiver, DVD)	
Solar Panels 1 x 100 Watt	
Flatscreen holder, additional in the rear incl. Preparation for 2nd TV	
Special price	2,960.-

Alde Winter Package	+72 kg*
Floor heating in cab - ALDE	
Heated drivers seat	
Heated passenger seat	
Alde Warmwater Heating	
Heated and insulated Wastewater Tank and Discharge	
Alde Booster	
Special price	4,480.-

Connect Package with 21.5" Smart TV	+8 kg*
21.5" Oyster Smart TV	
WiFi Connect Module	
Flatscreen holder	
Special price	1,770.-

Connect Package with 32" Smart TV	+10 kg*
32" Oyster Smart TV	
WiFi Connect Module	
Flatscreen holder	
Special price	2,220.-

Ambience Package 2	+16 kg*
Scatter Cushions x 4	
Fitted sheets for all bed types	
Special price	580.-

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the

manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Fiat Chassis Packages

Safety Package	△
Emergency brake assistant (pedestrian and cyclist detection)	
Lane departure warning	
Rain and Light Sensors	
Traffic sign recognition	
Automatic low beams	
Fatigue Detection	
Intelligent speed assistant	
Special price	1,080.-

These offers are valid only in conjunction with the purchase of the listed vehicles.

Please find more details concerning weight under "Important references"

△ Not known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the

manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Accessories Lyseo I

● Standard equipment ○ Optional equipment □ Optional extra available in a package — Not possible △ Not known at the time of publication

Description	Price £ a)	I 690 G	I 726 G	I 727 G	I 736 G	I 744	Additional weight*
Fiat Chassis							
Fuel tank, 90 ltr. ²⁴⁾	110.-	○	○	○	○	○	25
Preparation Trailer Coupling Fiat	230.-	○	○	○	○	○	△
Fiat Cab							
Insulated blackout honeycomb blind in driver's cab	430.-	○	○	○	○	○	1
Exterior Body							
Bicycle Rack for 3 Bikes (max. load 60 kg)	430.-	○	○	○	○	○	15
Original parts & accessories: Camping furniture set ⁵⁾	402.-	○	○	○	○	○	21
Rear Corner Steadies	390.-	○	○	○	○	○	7
Roof light with fan in washroom	190.-	—	—	○	○	○	4
Telescopic bicycle rack for 3 bikes (max. load 50 kg)	760.-	○	○	○	○	○	21
Trailer Coupling	1,620.-	○	—	—	—	—	45
Trailer Coupling	1,620.-	—	○	○	○	○	50
Habitation							
Dinette transformable to berth	450.-	○	○	○	○	○	10
Fitted sheets for fixed beds	70.-	○	○	○	○	○	1
Fitted sheets for the folding down bed	70.-	○	○	○	○	○	1
Isofix Child Seat Fastening	340.-	○	○	—	—	○	6
Original parts & accessories: Mattress topper double bed ⁵⁾	288.-	○	○	○	○	○	△
Original parts & accessories: Mattress topper single bed ⁵⁾	173.-	○	○	○	○	○	△
Queens bed - electrically height adjustable	1,330.-	—	—	—	○	—	21
Safe	180.-	○	○	○	○	○	4
Upholstery Bari Pure		○	○	○	○	○	0
Upholstery Catania Pure		○	○	○	○	○	0
Upholstery Genua Pure		○	○	○	○	○	0
Upholstery Osaka Pure - full leather	2,550.-	○	○	○	○	○	0
Vario-Seat	710.-	○	○	—	—	○	14



*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Description	Price £ a)	I 690 G	I 726 G	I 727 G	I 736 G	I 744	Additional weight*
Kitchen							
Extractor Fan	260.-	o	o	o	o	o	2
Electrical							
Additional lithium battery 100 Ah ⁸⁾	1,140.-	o	o	o	o	o	13
Lithium battery 100 Ah ⁸⁾	1,140.-	o	o	o	o	o	-15
Second Leisure Battery 95 Ah	430.-	o	o	o	o	o	27
Water System							
Heated Wastewater Tank	190.-	o	o	o	o	o	1
Outside Shower with Mixer Tap	230.-	o	o	o	o	o	3
Gas System							
Remote indication for Security Gas Pressure Regulator Toptron (CPU)	70.-	o	o	o	o	o	1
Roof Air Conditioning 2460 W	2,320.-	o	o	o	o	o	37
Security Gas Pressure Regulator Toptron (CPU) inc. Automatic Changeover Facility	400.-	o	o	o	o	o	1
Audio - Media							
Flatscreen 22" (incl. DVB-T, DVB-S Receiver, DVD) ¹⁰⁾	570.-	□	□	□	□	□	4
SAT system Oyster 80 Premium Base incl. 21.5 inch flat screen ^{9) 12)}	2,990.-	o	o	o	o	o	22
SAT system Oyster 80 TWIN Premium Base incl. 21.5 inch flat screen ^{9) 12)}	3,140.-	o	o	o	o	o	26
SAT-System Telesat HD autom.65 cm ^{9) 12)}	2,210.-	□	□	□	□	□	15
SAT-System Telesat HD autom.85 cm ^{9) 12)}	2,320.-	□	□	□	□	□	15
SAT-System Telesat TWIN HD autom. 65 cm ^{9) 12)}	2,380.-	□	□	□	□	□	16
SAT-System Telesat TWIN HD autom. 85 cm ^{9) 12)}	2,480.-	□	□	□	□	□	16
Second flat screen 22 inch Teleco incl. DVB-T, DVB-S receiver, DVD for TWIN system	570.-	o	o	o	o	o	4
Sound System Premium	1,590.-	o	o	o	o	o	18
WiFi Connect Module ^{12) 11)}	1,100.-	□	□	□	□	□	3
Fiat Chassis Packages							
Safety Package ²⁴⁾	1,080.-	o	o	o	o	o	Δ
Packages							
Alde Winter Package	4,480.-	o	o	o	o	o	72
Ambience Package 2	580.-	o	o	o	o	o	16
Connect Package with 21.5" Smart TV ¹²⁾	1,770.-	o	o	o	o	o	8
Connect Package with 32" Smart TV ¹²⁾	2,220.-	o	o	o	o	o	10
Equipment Line "Premium"	3,020.-	o	o	o	o	o	Δ



*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Description	Price £ a)	I 690 G	I 726 G	I 727 G	I 736 G	I 744	Additional weight*
Multimedia Package 65 cm	2,520.-	o	o	o	o	o	25
Multimedia Package 85 cm	2,610.-	o	o	o	o	o	25
Multimedia Package TWIN 65cm	2,880.-	o	o	o	o	o	27
Multimedia Package TWIN 85cm	2,960.-	o	o	o	o	o	29
Winter Package	1,400.-	o	o	o	o	o	19



*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Elegance



- Standard equipment
- Optional equipment
- Not possible
- △ Not known at the time of publication


Models	I 910 G	I 920 G
Mercedes Benz Sprinter 415 CDI – 150 HP / EURO VI E (4-Zylinder)	164,790.-	164,790.-
Overall length (app. cm)	899	899
Overall width (app. cm)	234	234
Overall height (app. cm)	305	305
Overall height Internal (app. cm)	205	205
Technically permissible maximum laden mass (kg)*	5500	5500
Mass in running order (kg) (+/-5%)*	4328 (4112 to 4544)*	4328 (4112 to 4544)*
Manufacturer-specified mass for optional equipment (kg)*	807	808
Technically permissible maximum towable mass (ca. kg)	1500 ³²⁾	1500 ³²⁾
Wheelbase, approx. mm	4700	4700
Permitted number of seats (including driver)*	4	4
Sleeping berths standard / max.	4	4
Fold down (app. cm)	194x147	194x147
Bed size rear (app. cm)	200x104-75 200x104-81	197x140
Refrigerator volume incl. freezer, approx. l	177 (35)	177 (35)
Fresh water supply, approx. l	140	140
Waste water tank, approx. l	50	50
Insulation floor / side walls / roof, mm	30 / 34 / 34	30 / 34 / 34
Storage space for gas cylinders (filling weight in kg)	2x 11kg	2x 11kg
Mercedes Chassis		
17 " Alloy wheels	●	●
3 years free map updates	●	●
92 L fuel tank	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Elegance



● Standard equipment ○ Optional equipment — Not possible ▲ Not known at the time of publication

Models	I 910 G	I 920 G
ABS (anti-lock braking system) / ASR (anti-slip control) / EBFD (electronic braking force distribution) and ESP (electronic stability program)	●	●
Active brake assistant	●	●
AdBlue tank 22 L	●	●
Automatic driving light control	●	●
Bürstner double floor concept	●	●
Cruise control	●	●
Eco Start Stop	●	●
Instrument cluster with colour display	●	●
Insulated and heated double floor	●	●
Jet nozzles I-table	●	●
LED Daytime Running Lights	●	●
Live traffic updates	●	●
Low frame chassis with through-loading function	●	●
Pre-equipment electr. for fog lights	●	●
Rear-view camera	●	●
Mercedes Cab		
Adjustable drivers seat	●	●
Adjustable passenger seat	●	●
Airbag Driver	●	●
Airbag Passenger	●	●
Cab door left passenger	●	●
Comand Online	●	●
Cup Holder for driver and passenger	●	●
Horizontal cab blinds	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Elegance



● Standard equipment ○ Optional equipment — Not possible ▲ Not known at the time of publication


Models	I 910 G	I 920 G
Leather steering wheel and gear knob	●	●
Multi-functional steering wheel	●	●
Outside mirrors suspended in body color, electrically heated and adjustable, including wide-angle mirror	●	●
Pilot seats upholstered to match living area	●	●
Semi-automatic air-conditioning	●	●
Exterior Body		
Aluminium framed windows	●	●
Central locking for cab, habitation and garage doors	●	●
Electric Door Step	●	●
Exterior Garage Door, left	●	●
Exterior Garage Door, right	●	●
GRP Floor	●	●
GRP Roof	●	●
Habitation door - Premium XL (2-point locking, central locking, windows, mosquito net, waste bin and charging station for the Home-Light battery light)	●	●
Large through-loading compartment with double-sided access from the outside including an extra deep basement compartment and access from the inside	●	●
Low gas box for easy gas bottle change	●	●
Roll out awning in anthracite - 6 m	●	●
Roof light 50 x 70 cm	●	●
Roof light in kitchen	●	●
Roof light in shower area	●	●
Sleeping area roof light 40 x 40 cm	●	●
White Paintwork	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Elegance



● Standard equipment ○ Optional equipment — Not possible ▲ Not known at the time of publication


Models	I 910 G	I 920 G
Habitation		
Bed runner for bed	●	●
Carpet to Cab & Living Area	●	●
Comfort sleeping system with disc springs and multi-zone comfort foam mattress (es) for rear bed (s)	●	●
Couch to Couch seating group	●	●
Electric fold-down bed	●	●
Fixed Bed with Multi-zone comfort foam mattresses	●	●
Furniture decor Carmela	●	●
Luxury table that can be moved lengthways and crossways	●	●
Scatter Cushions x 4	●	●
Underfloor storage	●	●
Upholstery Lecce	●	●
Vario Roller Blinds	●	●
Kitchen		
Combination oven (oven, grill, hob combined)	●	●
Extra durable mineral kitchen worktops	●	●
Extra wide, freely divisible kitchen drawers	●	●
Extractor Fan	●	●
Larder cabinet	●	●
Soft close function in the kitchen area	●	●
Water System		
140 L fresh water tank	●	●
50 L black water tank (holding tank)	●	●
Electric drain mode for black and gray water tanks	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Elegance



● Standard equipment ○ Optional equipment — Not possible ▲ Not known at the time of publication

Models	I 910 G	I 920 G
Outside Shower with Mixer Tap	●	●
Spacious bathroom with separate shower, wash area, toilet and wardrobe	●	●
Waste water tank 110 ltr.	●	●
iNDUS toilet system with app control IOS and Android	●	●
Electrical		
Additional Battery light "Home Light"	●	●
Charging station Home Light	●	●
Dimmable lighting	●	●
Exterior Power Socket 230 V / 12 V / TV	●	●
Facility for climate, SAT, solar	●	●
Home Light	●	●
Leisure battery AGM 95 Ah	●	●
Light in Wardrobe	●	●
My Bürstner App Control and monitor, anytime, anywhere, key components and functions of your vehicle. ³⁴⁾	●	●
USB-Sockets	●	●
Gas System		
Alde Warmwater Heating	●	●
Exterior Gas Point	●	●
Security Gas Pressure Regulator Toptron (CPU) inc. Automatic Changeover Facility	●	●
Audio - Media		
Digital radio	●	●
Flatscreen holder	●	●
Flatscreen holder, additional in the rear incl. Preparation for 2nd TV	●	●
MBUX 10.25 inches	●	●
Preparation for 2nd TV position	●	●

*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner. The real weight of your vehicle ex works can only be determined when it is weighed at

the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Packs Elegance

Packages

Automatic Package	+38 kg*
Automatic transmission 9G-Tronic including hold function	
Distronic adaptive speed regulator	
Electric parking brake	
Leather steering wheel	
Special price	4,560.-

Self-Sufficiency Package	+48 kg*
Inverter 1800VA incl. Control unit, battery disconnecter, fuse	
Lithium battery 135 Ah (second battery) including display panel	
Solar system Teleco 2 x 100 W with controller	
Additional charger 230 V	
Special price	5,550.-

Connect Package 32" Smart TV	+9 kg*
LED TV 32" with triple tuner incl. TV holder	
WiFi Connect Module	
Special price	2,220.-

Winter Package	+15 kg*
Heated drivers seat	
Heated passenger seat	
Floor heating in cab - ALDE	
Preparation for additional Diesel heater	
Additional Diesel Heater	
Special price	4,670.-

These offers are valid only in conjunction with the purchase of the listed vehicles.

Please find more details concerning weight under "Important references"

△ Not known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the

manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Accessories Elegance

● Standard equipment ○ Optional equipment □ Optional extra available in a package — Not possible △ Not known at the time of publication

Description	Price £ a)	I 910 G	I 920 G	Additional weight*
Engine Mercedes				
Mercedes Benz Sprinter 417 CDI – 170 BHP / EURO VI E (4-cylinder) ³³⁾	1,970.-	○	○	△
Mercedes Chassis				
Full air suspension	13,050.-	○	○	80
LED high beam and low beam	1,320.-	○	○	1
Preparation for hydraulic jacks - Goldschmitt ³⁵⁾	860.-	○	○	8
Mercedes Cab				
Electric Cab Blinds	900.-	○	○	4
Insulating glazing for cab side windows	1,140.-	○	○	16
Exterior Body				
Bicycle Rack for 3 Bikes (max. load 60 kg)	430.-	○	○	15
Original parts & accessories: Camping furniture set ⁵⁾	402.-	○	○	21
Original parts & accessories: Winter insulation mat ⁵⁾	489.-	○	○	4
Rear Corner Steadies	390.-	○	○	7
Roof light 65 x 96 cm	660.-	○	○	6
Roof light with fan in kitchen	190.-	○	○	4
Roof light with fan in washroom ⁹⁾	190.-	○	○	4
Silver Paintwork	4,200.-	○	○	1
Telescopic bicycle rack for 3 bikes (max. load 50 kg)	760.-	○	○	21
Trailer Coupling	1,620.-	○	○	50
Habitation				
Fitted sheets for fixed beds	70.-	○	○	1
Fitted sheets for the folding down bed	70.-	○	○	1
Lifting table	280.-	○	○	1
Original parts & accessories: Mattress topper double bed ⁵⁾	288.-	○	○	△
Original parts & accessories: Mattress topper single bed ⁵⁾	173.-	○	○	△
Safe	180.-	○	○	4



*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Description	Price £ ^{a)}	I 910 G	I 920 G	Additional weight*
Upholstery Alma Diamond (leather-fabric)	1,500.-	o	o	0
Upholstery Lima Diamond (full leather)	2,550.-	o	o	0
Upholstery Napa Diamond (full leather)	2,550.-	o	o	0
Water System				
Black water tank rollable	410.-	o	o	4
Electrical				
3rd AGM body battery 95 Ah	430.-	o	o	27
Second Leisure Battery 95 Ah	430.-	o	o	27
Solar Panels 1 x 100 Watt ⁹⁾	520.-	o	o	12
Gas System				
Remote indication for Security Gas Pressure Regulator Toptron (CPU)	60.-	o	o	1
Roof Air Conditioning 2460 W ⁹⁾	2,320.-	o	o	37
Audio - Media				
LED TV 32" with triple tuner incl. TV holder ³⁶⁾	1,320.-	□	□	7
Sound System Premium ³⁷⁾	1,590.-	o	o	18
Packages				
Automatic Package ³⁸⁾	4,560.-	o	o	38
Connect Package 32" Smart TV ¹²⁾	2,220.-	o	o	9
Self-Sufficiency Package	5,550.-	o	o	48
Winter Package	4,670.-	o	o	15



*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Bürstner uses to determine the maximum weight available for factory-fitted optional equipment. Detailed

information and explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

FOOTNOTES

- ¹ Not in combination with Isofix or middle seating group convertible to bed.
- ² Not applicable when ordering sun awning including LED lighting.
- ³ Only 180 BHP maxi.
- ⁴ Only in conjunction with equipment line "Flex"
- ⁵ Bürstner original parts and accessories are not available ex works. Assembly (if necessary) and delivery are carried out by your dealer. The prices do not include installation by your dealer. For further information please visit shop.buerstner.com
- ⁶ Not in conjunction with 3rd bunk bed.
- ⁷ With the Campeo TD 676 G, it is not possible to select the garage door on the left in the direction of travel in conjunction with the 3rd bunk bed.
- ⁸ Lithium battery incompatible with AGM battery
- ⁹ For the roof elements, make sure that there is only limited space for installation.
- ¹⁰ Only in connection with Teleco Telesat
- ¹¹ WiFi Connect module not in conjunction with SAT system.
- ¹² Combination of Teleco / Oyster SAT system and Connect package excluded.
- ¹³ The availability of Ambiente Packages 1 and 2 for a particular floor plan depends on the selection of the optional bed variants. For example, if an optional fold-down bed is selected, only Ambiente package 2 is available.
- ¹⁴ If an electrically adjustable fold-down bed is selected above the centre seating group, the position of the roof window changes.
- ¹⁵ An optional 5th seat should be taken into account as a regular seat when calculating the minimum payload and passenger mass . To obtain a 5th seat, it must be ensured that the minimum payload is maintained and all other legal mass values are observed. For detailed information, please contact our trading partners.
- ¹⁶ An optional 5th seat should be taken into account as a regular seat when calculating the minimum payload and passenger mass . To obtain a 5th seat, it must be ensured that the minimum payload is maintained and all other legal mass values are observed. For detailed information, please contact our trading partnersperson (technically permissible total mass must be taken into account)
- ¹⁷ 3rd + 4th sleeping place: Accessory "middle seating group convertible to bed"
- ¹⁸ 3rd + 4th sleeping place: accessory "fold-down bed above middle seating group" // 5th sleeping place: accessory "middle seating group convertible to bed"
- ¹⁹ "3rd and 4th berths with the option ""fold-down bed via center seat group"" // 5th berth with option ""center seat group convertible to bed"""
- ²⁰ Lyseo TD 594: Bed dimensions, pull-down bed, lengthwise bed function (LxW/W) 200 x 195/140 cm Lyseo TD 684 G: Bed dimensions, pull-down bed, lengthwise bed function (LxW/W) 200 x 210/160 cm
- ²¹ Lounge package includes 2 headrests and/or armrests, sloping seating area for a more comfortable seating position.
- ²² Not in conjunction with Triplex.
- ²³ Not in combination with oven
- ²⁴ Only in conjunction with equipment lines "Flex" or "Premium".
- ²⁵ The roof hood, Midi Heki is not possible in conjunction with accessories "lift bed on center seat group.
- ²⁶ The combination ""Sun-Roof XL"" with ""fold-down bed over the center seat group"" is not possible.
- ²⁷ Overall height (approx. cm) T-hood open : 360 cm
- ²⁸ 5th and 6th berths with the option "fold-down bed above middle seating group"
- ²⁹ Only 140 BHP maxi.
- ³⁰ The 50 x 70 cm skylight replaces the roof bonnet in the kitchen area
- ³¹ 5th berth with the option "middle seat group convertible to bed"
- ³² The technical Permissible total mass of the vehicle combination is 5,880 kg.
- ³³ Automatic transmission available via chassis package automatic transmission
- ³⁴ With the My Bürstner app, control via smartphone is also possible. Remote access and control via the app and the associated fees are included for 2 years. Various functions can then still be used to a limited extent.
- ³⁵ The availability of hydraulic jacks is currently limited. Please ask your trading partner for more information
- ³⁶ In conjunction with Oyster WiFi connect system
- ³⁷ 8 loudspeakers (high / medium / low speaker inc. Subwoofer) only in conjunction with multimedia package.
- ³⁸ Only in connection with chassis package and multimedia package.

Please find more details concerning weight under "Important references"

LEGAL NOTES ON WEIGHT-RELATED INFORMATION

The weight specifications and tests for motorhomes are uniformly regulated throughout the EU in EU Implementing Regulation No. 2021/535 (until June 2022: EU Implementing Regulation No. 1230/2012). We have summarised and explained the key terms and legal requirements from this regulation for you below. Our dealers and the Bürstner configurator on our website offer you additional assistance in configuring your vehicle.

1. The technically permissible maximum laden mass

The technically permissible maximum laden mass of the vehicle (e.g. 3,500 kg) is a mass specification set by the manufacturer which the vehicle must not exceed. Information on the technically permissible maximum laden mass of the model you have chosen can be found in the technical data. If the vehicle exceeds the technically permissible maximum laden mass in everyday driving, this constitutes an administrative offence which may result in a fine.

2. Mass in running order

In simple terms, the mass in running order is the basic vehicle with standard equipment plus a legally fixed standard weight of 75 kg for the driver. This essentially includes the following items:

- the unladen weight of the vehicle together with the bodywork, including operating fluids such as greases, oils and coolants;
- the standard equipment, i.e. all equipment items that are included as standard in the factory-fitted scope of delivery;
- the fresh water tank filled to 100 % in driving mode (driving fill according to manufacturer's specifications; 20 litres) and an aluminium gas cylinder filled to 100 % with a weight of 16 kg;
- the fuel tank, which is 90 % full, including fuel;
- the driver, whose weight – regardless of the actual weight – is generally specified as 75 kg in accordance with EU law.

Information on the mass in running order can be found for each model in our sales documents. It is important to note that the value for mass in running order given in the sales documents is a default value determined in the type-approval procedure and verified by the authorities. It is legally permissible and possible for the mass in running order of the vehicle delivered to you to deviate from the nominal value stated in the sales documents. The legally permissible tolerance is $\pm 5\%$. In this way, the EU legislator accounts for the fact that certain fluctuations in the mass in running order occur due to variations in the weight of supplied parts as well as due to processes and weather conditions.

These weight deviations can be illustrated by means of an example calculation:

- Mass in running order acc. to sales documents: 2,850 kg
- Legally permissible tolerance of $\pm 5\%$: 142.50 kg
- Legally permissible range of mass in running order: 2,707.50 kg to 2,992.50 kg

The specific range of permissible weight deviations can be found for each model in the technical data. Bürstner makes great efforts to reduce weight variations to the minimum that is unavoidable for production reasons. Deviations at the upper and lower end of the range are therefore very rare; however, they cannot be completely ruled out technically, even with all optimisations. The real weight of the vehicle and compliance with the permissible tolerance is therefore checked by Bürstner by weighing each vehicle at the end of the line.

3. Mass of the passengers

The mass of the passengers is set a standard value of 75 kg for each seat provided by the manufacturer, regardless of the actual weight of the passengers. The mass of the driver is already included in the mass in running order (see no. 2 above) and is therefore not included again. In the case of a motorhome with four permitted seats, the mass of the passengers is therefore $3 * 75 \text{ kg} = 225 \text{ kg}$.

4. Optional equipment and actual mass of the vehicle

Optional equipment (also: additional equipment) includes, according to the legal definition, all optional equipment parts not included in the standard equipment which are fitted to the vehicle under the responsibility of the manufacturer – i.e. ex works – and can be ordered by the customer (e.g. awning, bicycle or motorbike carrier, satellite system, solar system, oven, etc.). Information on the individual or package weights of the optional equipment that can be ordered can be found in our sales documents. Optional equipment in this sense does not include other accessories that are retrofitted by the dealer or you personally after the vehicle has been delivered ex works.

The mass of the vehicle in running order (see no. 2 above) and the mass of the optional equipment fitted to a specific vehicle at the factory are together referred to as the actual mass. You will find the corresponding information for your vehicle after handover under item 13.2 of the Certificate of Conformity (CoC). Please note that this specification also represents a standardised value. Since the mass in running order – as an element of the actual mass – is subject to a legally permissible tolerance of $\pm 5\%$ (see no. 2), the actual mass may also deviate accordingly from the stated nominal value.

5. Pay-mass and minimum pay-mass

The installation of optional equipment is also subject to technical and legal limits: Only so much optional equipment can be ordered and fitted at the factory that sufficient free weight remains for baggage and other accessories ("pay-mass") without exceeding the technically permissible maximum laden mass. The pay-mass is calculated by subtracting the mass in running order (nominal value according to sales documents, see no. 2 above), **mass of the optional equipment** (see no. 4 above) and the mass of the passengers (see no. 3 above) from the technically permissible maximum laden mass (see no. 1 above). The EU regulations stipulate a fixed minimum pay-mass for motorhomes, which must remain as a minimum for baggage or other non-factory-fitted accessories. This minimum pay-mass is calculated as follows:

Minimum pay-mass in kg $\geq 10 * (n + L)$

Where: "n" is the maximum number of passengers plus the driver and "L" is the overall length of the vehicle in metres.

For a motorhome with a length of 6 m and 4 approved seats, the minimum pay-mass is therefore e.g. $10 \text{ kg} * (4 + 6) = 100 \text{ kg}$.

To ensure that the minimum pay-mass is maintained, there is a maximum combination of optional equipment that can be ordered for each vehicle model. In the above example with a minimum pay-mass of 100 kg, the total mass of optional equipment for a vehicle with four permitted seats and a mass in running order of 2,850 kg should not exceed 325 kg:

3,500 kg technically permissible maximum laden mass
– 2,850 kg mass in running order
– 3*75 kg mass of the passengers
– 100 kg minimum pay-mass
= 325 kg maximum permissible mass of optional equipment

It is important to note that this calculation is based on the default value for mass in running order as defined in the type-approval procedure, without taking into account the permissible weight deviations for mass in running order (see no. 2 above). If the maximum permissible value for the optional equipment of (in the example) 325 kg is almost or completely exhausted, an upward weight deviation can therefore result in the minimum pay-mass of 100 kg being met mathematically using the default value for the mass in running order, although in fact there is no corresponding load capacity. Here, too, an example calculation for a vehicle with four seats, whose real weighed mass in running order is 2 % above the nominal value:

3,500 kg technically permissible maximum laden mass
– 2,907 kg real weighed mass in running order
 (+ 2 % compared to the stated value of 2,850 kg)
– 3*75 kg mass of the passengers
– 325 kg optional equipment (maximum permissible value)
= 43 kg actual load capacity (< minimum pay-mass of 100 kg)

In order to avoid such a situation, Bürstner further reduces the maximum permissible weight of the total optional equipment that can be ordered on a model-specific basis. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Bürstner.

Since the weight of a specific vehicle can only be determined when it is weighed at the end of the line, in very rare cases a situation may arise in which the minimum pay-mass at the end of the line is not guaranteed, despite this limitation of optional equipment. In order to guarantee the minimum pay-mass even in these cases, Bürstner will check together with your trade partner and you before delivery of the vehicle whether, for example, the vehicle is loaded up, seats are reduced or optional equipment is removed.

6. Effects of tolerances of the mass in running order on the pay-mass

Regardless of the minimum pay-mass, you should note that unavoidable production-related fluctuations in the mass in running order – both upwards and downwards – have a mirror-image effect on the remaining load capacity: If you order our example vehicle (see no. 3. above), for example, with optional equipment with a total weight of 150 kg, the calculated pay-mass based on the default value for the mass in running order is 275 kg. The load capacity actually available may deviate from this value due to tolerances and may be higher or lower. If the mass in running order of your vehicle is, for example, permissibly 2 % higher than stated in the sales documents, the load capacity is reduced from 275 kg to 218 kg:

3,500 kg technically permissible maximum laden mass
– 2,907 kg real weighed mass in running order
 (+ 2 % compared to the stated value of 2,850 kg)
– 3*75 kg mass of the passengers
– 150 kg optional equipment ordered for the specific vehicle
= 218 kg actual load capacity

As a precaution to ensure that the calculated pay-mass is actually given, you should therefore take the possible and permissible tolerances for the mass in running order into account when configuring your vehicle.

We also recommend that you weigh the laden motorhome on a non-automatic scale before each journey and, taking the individual weight of the passengers into account, determine whether the technically permissible maximum laden mass and the technically permissible maximum mass on the axle are observed.

IMPORTANT INSTRUCTIONS

Any change in the factory condition of your vehicle can impair driving and traffic safety

- Observe all relevant regulations for a safe operation of your vehicle
- Make sure that you have the correct drivers license to be able to drive the vehicle
- Installing roof structures and antennas will change the vehicle height
- Depending on the vehicle type, not all antennas/structures can be placed on the roof. Some accessories can be mounted.
- The technical data stated in this brochure correspond to the state of knowledge and production at the time of printing (September 2024) in terms of weight and dimensions as well as equipment and design. Bürstner reserves the right to make changes or improvements to the product at any time. We therefore recommend that during the information process and before concluding the contract, you check our website, using our configurator and/or with our authorised Bürstner dealer for any

changes compared to this publication. • The technical data in the catalogue includes the series status at the time of printing.

- Despite a thorough review of the content we cannot rule out printing errors. During the respective model year, we reserve the right to change equipment and improve the products we make.
- The technical data in the catalogue includes the series status at the time of printing. Despite a thorough review of the content we cannot rule out printing errors. During the respective model year, we reserve the right to change equipment and improve the products we make.
 - Deviations in structure and colour from those shown in the brochure are reserved insofar due to the nature of the materials used. They are normally commercially available.
 - Please inform yourself about the current product and series condition before signing a contact at a Bürstner authorised trading partner.
 - All accessory prices are for factory installation, in frame of a new vehicle.

UK - All prices are recommended retail prices in GBP including legal applicable VAT, On The Road Charges (OTR including delivery from Germany, registration and PDI). Possible import duties are not included and will be charged separately. Your local dealer informs you about the applicable prices, taxes and duties for your country. All prices are quoted in Sterling and include VAT @ 20%. Price details were current at the time of going to press. The publication of this price list shall render all previous prices invalid. Valid for deliveries after 01.08.2024. Prices may vary depending on your delivery date. The prices include statutory value added tax at the current rate of 20% and are subject to change in case of amendments to the tax rate or on introduction of tariffs. Subject to mistakes, printing errors and changes. All the information is based on UK specification.

Last revised: September 2024 - 09/24 - A2



Bürstner GmbH & Co. KG

Weststrasse 33

D-77694 Kehl

www.buerstner.com

faq.buerstner.com